

CARMARTHENSHIRE LBAP WOODLAND HABITATS GROUPED ACTION PLAN

Introduction

The grouped habitat action plan includes upland oak woodland, upland mixed ash woodland, lowland mixed deciduous woodland, wet woodland and wood pasture and parkland (including veteran trees).



Upland mixed ashwoods (*Coedwig ynn gymysg ar dir uchel*) have ash as the major canopy species, although oak, birch, elm, small-leaved lime and yew may be locally abundant. The ground flora often includes bluebells, dog's mercury, primrose and wild garlic. The understorey usually contains hazel and various other shrubs. Upland mixed ashwoods can support a rich invertebrate fauna and lichen flora. The best examples of this habitat tend to occur on limestone, but fragments of these woodlands can develop on more acidic poorly drained soils where there is localised flushing of nutrients.

Despite the name, upland mixed ashwoods can occur at lower altitudes. The term upland merely reflects the prevalence of this woodland type on base-rich soils in upland Britain.

It is estimated that the Carmarthenshire contains roughly 10% of upland mixed ashwood in Wales. Although dispersed throughout Carmarthenshire, the most important concentrations lie on the narrow strip of carboniferous limestone in the south of the county, on the fringes of the South Wales Coalfield. Particularly good examples are located in the Crwbin, Drefach, Llandybie and Carmel areas. At Carmel National Nature Reserve rare plants such as herb paris and truly wild lily-of-the-valley occur. Small caves in the limestone are used by bats, including the rare greater horseshoe bat, with the mix of old pastures and woodlands at Carmel providing ideal insect-rich feeding habitat.

In 2012 the ash disease *Chalara faxinea* was found on recently planted ash trees near Carmarthen. This fungal infection has now been found on mature trees near Ferryside. It is likely that this disease will eventually infect many of our ash trees.

Upland oakwoods (*Coedwig dderi yn yr ucheldir*) occur mainly in the north of the county. They are not strictly confined to upland settings, the name reflecting the abundance of this woodland type in the more upland parts of the country. It is the most common woodland type in Wales.

Upland oakwoods are usually dominated by oak, usually sessile oak but sometimes pedunculate oak, or a hybrid of the two, with downy birch and varying amounts of ash and sycamore. Where an understorey exists this is usually a mix of hazel, holly and rowan. The ground flora varies with the underlying soils and amount of grazing, from bluebell, bramble and ferns on richer soils, to grassy swards where grazing is more intense. Heather, bilberry and mosses dominate on more acidic soils.

The most oceanic of these woodlands (and these include some of the Carmarthenshire upland oak woods) are particularly rich in mosses, liverworts and lichens. They also have a distinctive range of breeding birds with redstarts, pied flycatchers and wood warblers.

Carmarthenshire has the second largest area of this habitat in Wales after Powys. Most sites tend to be on the higher land in the north of the county. Particularly good examples can be found to the north of Rhandirmwyn where woods here provided the last nesting habitat for the red kite when its numbers dropped perilously.

The demand for smelting charcoal and tan bark meant that many of these woods were intensively managed until the late 1800s. Many were felled in the two World Wars. Today, the trees in many oakwoods are nearly the same age throughout the wood – dating from the time when the wood was ‘clear felled’, then allowed to regrow without management.

Wet woodland (*Coedwig wlyb*) occurs on poorly drained or seasonally wet soils, usually with alder, birch and willows as the predominant tree species, but sometimes including ash, oak and beech on the drier riparian areas. Wet woodland occurs in a variety of settings: as a successional habitat on fens and bogs and around waterbodies; along streams and hillside flushes; and in floodplains. Floodplain woodland in particular is now highly fragmented through past clearance for agriculture. A long history of coppice management appears to have maintained some alder-dominated woods. Other wet woodlands have developed through natural succession on open wetlands where active management such as grazing has been abandoned.

The high humidity of some wet woodlands and the presence of saturated ground with quantities of dead wood often favours the development of rich bryophyte (mosses and liverworts) and invertebrate communities. Wet woodland can also provide cover and breeding sites for otters.

Scattered areas of wet woodland are found in the county, typically dominated by alder and various willows. Previous surveys suggest that much of this occurs as small linear stands along stream sides, often within larger blocks of drier woodland. Extensive areas of wet woodland are rare and floodplain woodland is very fragmented. It is likely that much of the wet woodland in Carmarthenshire is relatively recent.

On riverbanks wet woodlands are a retreat for otters and feeding flocks of redpolls and siskins. Rotten trees are used by the scarce lesser spotted woodpecker and their nest holes are subsequently used by other birds and bats. More extensive areas are found on hillside flushes or on ungrazed wet dunelands; indeed, the young wet woodlands on the dune system between Pendine and Laugharne may be of national significance, as wooded sand dunes are rare in western Europe.

Wood-pastures and parklands (*Porfa goediog a pharcdir*) are the products of historic land management systems, and represent a vegetation structure rather than a particular plant community. Typically they consist of large, open-grown trees – many of which are of veteran age – over a grassland habitat often grazed by cattle, deer or, sometimes, sheep. Veteran trees are therefore included within in this plan. These are trees that are of interest biologically, culturally or aesthetically because of their age, size or condition. They are normally over 250 years old with a girth at breast height of over 3 metres.

However, other factors must be considered such as the location and past management of the tree. Veteran trees are often of high ecological importance.

The range of invertebrates associated with decaying timber can be very diverse and often of exceptional value for conservation. The long-term continuity of 'dead wood' niches in lowland wood-pastures and parklands has resulted in significant numbers of localised or rare invertebrates being dependent upon such habitats. The lichen assemblage can also be of importance, particularly where sites are free from atmospheric pollution. Furthermore, wood-pastures and parklands are often highly valued for their historic, cultural and landscape interests.

The county has limited areas of wood pasture and parkland. Dinefwr Park with its veteran oaks in the Tywi Valley is the most significant and well known, but there are others at Gelli Aur, the Middleton Estate and Dan y Parc near Cynghordy. These havens for veteran trees are crucial for the rare invertebrates and lichens that only live on these aged trees. At Dinefwr, some particularly rare beetles and the pollution-intolerant lichen, lungwort, are found. Old timber, whether standing or fallen is of vital importance for wildlife.

Single and small aggregations of veteran trees are also considered to be of local significance.

Lowland mixed deciduous woodland (*Coedwig gollddail gymysg ar dir isel*) is usually dominated by pedunculate oak or ash. In these woods you may come across trees not often found in the uplands – wild cherry, sweet chestnut, small-leaved lime and field maple. The more acid soils often have a less varied flora – bluebell, wood anemone, honeysuckle, bramble and bracken are the commonest species. Dog's mercury is a characteristic plant on lime-rich soils, along with enchanter's nightshade, wood avens and arum lily.

Following centuries of management for timber, coppice products, and firewood many of these woods are now neglected. They have the potential to supply high value timber – from oak, ash and cherry which are native to these woods – and from introduced sycamore, sweet chestnut and beech which now regenerate naturally. The area of this priority type on ancient woodland sites has declined in area by clearance, overgrazing and replanting with non-native species over the last 50 years. Where an understorey, such as hazel exists in these woods it is an important element that contributes to the habitat's structure as well as its diversity.

Carmarthenshire has a good proportion of this habitat in Wales. An excellent example is Castle Woods in Llandeilo. Here you can find a good range of breeding birds including great spotted, lesser spotted and green woodpecker, treecreeper, nuthatch, redstart, pied and spotted flycatcher. Resident birds of prey include sparrow hawk, buzzard and tawny owl.

Natural benefits of woodland habitats

As well as the inherent value of these habitats and for the species they support they provide us with a number of natural benefits:

- Timber for building and wood for charcoal and firewood.
- Woodlands stabilise soils and accumulate carbon.

- Woodlands cool us down and provide us with oxygen.
- Woodlands provide place for quiet contemplation or mountain biking mania!

Why are woodland habitats changing (from the *State of Nature* report: www.rspb.org.uk/stateofnature)?

- Reduction/cessation of woodland management.
- Invasive species.
- Overgrazing.
- Loss of veteran trees and deadwood.
- Disease.
- Air pollution.
- Climate change.

Vision Statement and objectives

The overall vision for this plan is to maintain, restore and extend these habitats in the county and the BAP species associated with them. This is especially important within the context of habitat connectivity within the Carmarthenshire landscape. Any action would seek to meet one or more of the following objectives:

- WD1** To positively manage these woodland habitats/veteran trees in Carmarthenshire and connect and expand where possible
- WD2** To maintain and expand the range and/or population of species associated with these habitat types
- WD3** To identify and record priority areas of woodland habitats/veteran trees within Carmarthenshire outside SSSIs
- WD4** To raise awareness of woodland habitats/veteran trees and the benefits they bring us

Associated BAP/S42 species (NB this may not be an exhaustive list):

Birds - Tree pipit, European nightjar, Lesser redpoll, Hawfinch, Lesser spotted woodpecker, Spotted flycatcher, Dunnock, Willow tit, Marsh tit, Common bullfinch, Common starling, Song thrush, Wood warbler, Pied Flycatcher

Mammals - Polecat, Brown hare, Red Squirrel, Pine Marten, Bat spp. (incl. Common pip), Dormouse

Invertebrates - White Letter Hairstreak and Brown Hairstreak Butterflie, Flounced Chestnut (moth), The Sprawler (moth), Centre-barred Sallow (moth), Minor Shoulder-knot (moth), September Thorn (moth), Brindled Beauty moth, The Sallow (moth), Pretty Chalk Carpet, ,

Amphibians - Common toad

Plants/Lower plants/Lichens/Fungi - Bird's Nest, Bastard balm, Lesser squirrel-tail moss, Scarce turf-moss, *Buellia hyperbolica* (lichen), *Caloplaca herbidella* (lichen), *Lecanora sublivescens* (lichen), *Usnea florida* (lichen), Fragile Amanita (fungus), *Phellodon tomentosus* (fungus), *Phylloporus pelletieri* (fungus), *Stricta canariensis* (lichen)

Summary of action achieved by LBAP Partners (for more information contact the biodiversity officer – Biodiversity@carmarthenshire.gov.uk) or visit the national Biodiversity Action Reporting System - <http://ukbars.defra.gov.uk>:

2010–12

- Tywi Afon yr Osoedd (TAYO) project – veteran trees protected on Coleg Sir Gar, Gelli Aur Estate WD1
- TAYO project – protection of woods through stock fencing – 7 sites WD1
- Dinefwr Park – management of veteran trees – survey/management of dead wood – NT WD1/3
- NBGW – woodland management through thinning of non-natives/clearing cherry laurel – NBGW WD1
- Coed Cymru – woodland advisory visits – 816 Ha of woodland brought into management in the county – CC WD1
- Llyn Llech Owain CP – management of wet woodland through coppice with standards on rotation – CCC WD1
- NBGW – wet woodland management – coppicing – NBGW WD1
- Carmel Woods NNR – re-introduce historical woodland management WD1
- TAYO project – planting of woodland areas – 5 sites WD1
- Dinefwr park – expand wet woodland – 550 native trees planted – NT WD1
- TAYO project – plant parkland trees – 195 trees at 26 sites planted - CCC WD1
- NBGW – monitor nest boxes for pied flycatchers in Pont Felin Gat wood - WD2
- Pembrey forest – manage woodland rides for butterflies – NRW/BC WD2
- Tree planting project in 20 school grounds – CBP
- DVD produced on tree planting in school grounds - CBP
- Castle Woods SSSI – survey of woodland to inform management plan – WTSWW WD3
- Castle Woods SSSI – management incl. removal of Himalayan balsam – WTSWW WD3
- Poor Man’s Wood – management – beech removal and access improvements – WTSWW WD1

2013

- Pine marten surveys, 1 potential in Allt Rhyd y Groes – Vincent Wildlife Trust WD2
- Welsh Tree Festival day at NBGW WD4
- Woodland planting through CCC RDP Landscape & Heritage Scheme – CCC WD1
- Castle woods – BWW-funded work to remove Himalayan balsam, cherry laurel and rhododendron, re-fence boundary and grey squirrel control – WTSWW WD1
- Gallt y Tlodion – removal of beech regen, some mature beech, thinning and hazel coppice – WTSWW WD1
- New pied flycatcher nest boxes at Gallt y Tlodion and Castle Woods - WTSWW WD2
- Troserch woods – footpath improvements – Troserch Woods Soc. WD1
- Coed Cymru – woodland advisory visits – ?? Ha of woodland brought into management in the county – CC WD1
- Burry Port woodlands – Glastir woodland management scheme applied for - CCC WD1
- Small areas of woodland planted (<0.25 Ha) as part of Landscape and Biodiversity RDP-funded scheme - CCC WD1
- Woodlands fenced off as part of Landscape and Biodiversity RDP-funded scheme - CCC WD1

2014

- Removal of beech regeneration in Poor Man’s Wood – WTSWW WD1
- Removal of non native invasive species and sycamore regeneration in Castle Woods NNR, SSSI – WTSWW WD1

- Native woodlands - six Glastir Woodland Management plans prepared, including one SSSI. Support given to woodland owners in implementing seven GWM plans produced in 2013, plus 50 or so Better Woodlands for Wales and Glastir Woodland Creation schemes - Coed Cymru WD1
- Coastal sand dunes and native woodlands - Habitat restoration project at Pembrey Country Park in the planning stage. Removal of conifers to restore dune habitats or enhance areas of native broadleaves. Coed Cymru/CCC WD1
- Pied flycatcher boxes erected at Poor Man's Woods, and Talley lakes SSSI – WTSWW WD2
- Thinning of Corsican Pine in Pembrey Country Park to benefit biodiversity in the woodland - CCC/Coed Cymru WD1
- New records of *Usnea articulata* received WD2

2015

- Pembrey CP – thinning work in the Corsican Pine woodland to help forest floor – CCC/CC WD1
- Burry Port Woodlands –thinning to help woodland management and dormice- CCC WD1
- Poor Man's Woods- scrub clearance and halo pruned around the two Wild Service Trees present on the reserve – WTSWW WD1
- Castle Woods- 5-year Glastir Woodland Management project to thin South Lodge Woods. Canopy opened up to encourage woodland regeneration and increase the age structure; invasive species control including Himalayan balsam, rhododendron, cherry laurel and grey squirrels – WTSWW WD1
- Help and advice given for wide range of woodland sites including Glastir Woodlands schemes and sites with *Chalara* ash disease or *Phytophthora* larch disease - CC WD1
- New records of *Usnea articulata* received WD2

Future proposed projects

- Promote National Tree Week – CCC WD4
- Promote recording of veteran trees in the county – CCC WD4

Useful links:

www.coedcymru.org.uk/
www.carmarthenshire.gov.uk/english/environment/biodiversity/pages/carmarthenshirehabitats-woodlands.aspx
<http://jncc.defra.gov.uk/page-1437>
www.wildlifetrusts.org/wildlife/habitats/woodland
www.biodiversitywales.org.uk/en-GB/Woodlands
<http://www.carmarthenshire.gov.uk/English/environment/biodiversity/pages/carmarthenshirehabitats-woodlands.aspx>

Where to see these habitats in Carmarthenshire:

Ash woodland: Carmel the National Nature Reserve.

Oak woodland: Dinas Nature Reserve, Allt Rhyd y Groes NNR in the upper Tywi Valley.


Wood-pastures and parklands/veteran trees: Dinefwr Park, Llandeilo.

Lowland mixed deciduous woodland: Castle Woods in Llandeilo, Tregib Woods, Llandeilo, Green Castle Woods, Carmarthen.

Maps used with permission of Countryside Council for Wales 2004. Extracted from *Priority Habitats of Wales: a technical guide*, edited by P. S. Jones, D. P. Stevens, T. H. Blackstock, C. R. Burrows and E. A. Howe., 2003.


Reproduced from the Ordnance Survey map with the permission of the Controller of HM Stationery Office, Crown Copyright Reserved-LA 0997L

Lowland wood-pasture & parkland




Distribution of records for lowland wood-pasture & parkland within Carmarthenshire. Data are summarised from the provisional inventory of Bray (1994) and probably include a number of sites outwith the Habitat Action Plan definition.

Upland mixed ashwood




Distribution of records for upland mixed ashwood within Carmarthenshire. Data are summarised from Phase II surveys of Welsh woodlands.

Upland oakwood



Distribution of records for upland oakwood within Carmarthenshire. Data are summarised from Phase II surveys of Welsh woodlands.

Wet woodland




Distribution of records for wet woodland within Carmarthenshire. Data are summarised from Phase II surveys of Welsh woodlands.

NRW - Priority Plantation on Ancient Woodland Restoration Sites

Compiled by on 9 August 2013

Scale 1:366283

Cyngor Sir Gâr
Carmarthenshire County Council
Regeneration Department
Spilman Street, Carmarthen, SA31 1JY



© Hawlfraint y Goron a hawliau cronfa ddata 2013 Arolwg Ordnans 100023377
© Crown copyright and database rights 2013 Ordnance Survey 100023377

Additional information: % Carmarthenshire County Council
Template: C:\vgapps\template\ccc_p41.wor



Partneriaeth **Bioamrywiaeth** Sir Gaerfyrddin
Carmarthenshire **Biodiversity** Partnership

www.carmarthenshirebiodiversity.co.uk

The [Carmarthenshire Biodiversity Partnership](#) (CBP) is made up of the following organisations: [Carmarthenshire County Council](#) (CCC), [Wildlife Trust of South and West Wales](#) (WTSWW), [Natural Resources Wales](#) (NRW), [RSPB](#), [Wildfowl and Wetlands Trust](#) (WWT), [Carmarthenshire Bird Club](#) (CBC), [National Botanic Gardens Wales](#) (NBGW), [Butterfly Conservation](#) (BC), [Carmarthenshire Rivers Trust](#) (CRT), [National Trust](#) (NT), [Botanical Society of the British Isles](#) (BSBI), [Llanelli Naturalists](#) (LN), [Bat Conservation Trust](#) (BAT), [West Wales Biodiversity Information Centre](#) (WWBIC), [Amphibian and Reptile Conservation](#) (ARC), [Woodland Trust](#) (WT)