

Clwster 5 / Cluster 5

SeC15	Llanymddyfri / Llandovery	Linc/Link
SeC16	Llandeilo, Rhosmaen & Ffairfach	Linc/Link
SeC17	Llangadog	Linc/Link
SuV45	Ffarmers	Linc/Link
SuV47	Talyllychau / Talley	Linc/Link
SuV48	Cwrt Henri	Linc/Link
SuV49	Llanfynydd	Linc/Link
SuV51	Cwmifor	Linc/Link
	Llanwrda	Linc/Link
	Salem	Linc/Link
	Ffaldybrenin	Linc/Link
	Crugybar	Linc/Link
	Ashfield Row	Linc/Link
	Felindre (Llangadog)	Linc/Link
	Cynghordy	Linc/Link
	Gelli Aur / Golden Grove	Linc/Link
	Derwen Fawr / Broad Oak	Linc/Link
	Manordeilo	Linc/Link
	Penybanc	Linc/Link
	Felindre (Dryslwyn)	Linc/Link
	Dryslwyn	Linc/Link
	Rhydcymerau	Linc/Link
	Waun Ystrad Meurig	Linc/Link
	Llansadwrn	Linc/Link

	Rhandirmwyn	Linc/Link
--	-------------	-----------

SeC15

Llanyddyfri / Llandovery

SR/081/003 CA0299	Tir yn Fferm Llanfair / Land at Llanfair Farm	Linc/Link
SR/081/004 CA0303	Tir yn Llanfair (hen tir yr ysgol) / Land at Llanfair (former school land)	Linc/Link
SR/081/005 CA0617	Hen safle Ysgol Rhys Pritchard / Former Ysgol Rhys Pritchard Site	Linc/Link
SR/081/007 CA0683	Tir yn Banc y Capel, Llandovery / Land at Church Bank, Llandovery	Linc/Link

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/081/003 CA0299	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Tir yn Fferm Llanfair / Land at Llanfair Farm	Ardal Safle / Site Area:	2.708ha
Defnydd Presennol / Existing Use:	Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn part hle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+

6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymwl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	✓	ACI8 ISA8	-
--	---	--------------	---

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	✓		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	✓	ACI8 ACI9 ISA8 ISA9	-
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility			
10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+

15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(b) Darpariaeth fanwerthu / Retail provision	✓		+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddal gylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	✓	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	-
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
----------------------------	-----------------	--	----------------------

Hyfwedd ac Ymarferoldeb / Viability and Deliverability

28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Byddai'r datblygiad yn arwain at estyniad afresymegol i'r ffurf drefol. Mae digon o dir wedi ei dyrannu yn yr anheddiad. Safle i aros tu fas i'r terfynau datblygu. Development would lead to an illogical extension of the urban form. There is sufficient residential land allocated in the settlement. The Site will remain outside of limits.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/081/004 CA0303	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Tir yn Llanfair (hen tir yr ysgol) / Land at Llanfair (former school land)	Ardal Safle / Site Area:	1.555ha
Defnydd Presennol / Existing Use:	Ardaloedd Agored neu Hamddenol / Open Space or Recreational	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn part lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	✓	ACI4 ACI5 ISA4 ISA5	-
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+

6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
--	---	--------------	---

Sylwadau Ychwanegol / Additional Comments

Mae rhan fechan iawn o'r safle wedi ei leoli o fewn Parth C2 fel y'i dynodir gan Fapiau Cyngor Datblygu TAN15.

A very small part of the site is located within Zone C2 as identified by the TAN15 Development Advice Maps.

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys ailddefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility	✓		
10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gweledded digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/recreational facilities that are within a reasonable distance?	X	ACI12 ACI15 ISA12 ISA15	-

15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(b) Darpariaeth fanwerthu / Retail provision	✓		+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhambarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgyllch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	✓	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	-

26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		
--	---	--	--

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr laith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Byddai datblygu'r safle cyfan yn arwain at ymlediad diangen y tu hwnt i derfynau'r anheddiad. Mae'r safle wedi'i ddyrrannu at ddibenion hamdden a dylid ei ddiogelu. Fodd bynnag, mae'r terfynau datblygu i'w hymestyn ar hyd tu blaen Heol Cilycwm i adlewyrchu'r ffurf adeiledig bresennol ac i alluogi cyfle i ddatblygu ar raddfa fach. Development of the whole site would lead to an unnecessary encroachment beyond the settlement limits. The site is allocated for recreation purposes and should be protected. However, development limits to be extended along the frontage of Cilycwm Road to reflect the existing built form and to enable a small scale development opportunity.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/081/005 CA0617	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Hen safle Ysgol Rhys Pritchard / Former Ysgol Rhys Pritchard Site	Ardal Safle / Site Area:	1.436ha
Defnydd Presennol / Existing Use:	Cyn ysgol a chae chwarae / Former school and playing field	Defnydd Arfaethedig / Proposed Use:	Manwerthu / Retail
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

(Empty box for additional comments)

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Cam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn part hle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Safle i aros tu fewn y terfynau datblygu. Bydd cynigion manwerthu am y safle'n cael eu ystyried yng nghyd-destun polisi.
 Site to remain within development limits. Retail proposals for the site will be dealt with in accordance with policy.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	SR/081/007 CA0683	Cyfeirnod y Safle / Site Reference:	PrC1/E1
Cyfeiriad y Safle / Site Address:	Tir yn Banc y Capel, Llandovery / Land at Church Bank, Llandovery	Ardal Safle / Site Area:	0.4822ha
Defnydd Presennol / Existing Use:	Porfa / Pasture	Defnydd Arfaethedig / Proposed Use:	Cyflogaeth / Employment
		Os arall, nodwch / If other, specify:	
Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History			
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X		
Hanes Cynllunio Perthnasol / Relevant Planning History			
Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+
Sylwadau Ychwanegol / Additional Comments			
<p>Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment</p>			
Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	Dim yn berthnasol / Not applicable		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	✓	ACI4 ACI5 ISA4 ISA5	-

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Safle ddim yn addas am ddyraniad cyflogaeth ac wedi ei leoli tu fewn part perygl llifogydd C2 ac efallai fe fydd pryderon ynghylch amwynder yr eiddo preswyl cyfagos. Yn ychwanegol, cyfeirir at sylfaen dystiolaeth y Cynllun - yn enwedig Cam 1 yr Asesiad Strategol o Ganlyniadau Llifogydd (Atkins 2019). Site not appropriate for an employment allocation as it is located within a C2 flood risk zone and there might be amenity concerns in respect of the adjacent residential properties. In addition, reference is made to the Plan's evidence base in terms of flooding - notably the Stage 1 SFCA (Atkins 2019).
--

SeC16

Llandeilo, Rhosmaen & Ffairfach

SR/080/001 CA0243	Tir ar Heol Talyllychau / Land at Talley Road	Linc/Link
SR/080/002 CA0274	Tir ger Red Cottages / Land adjoining Red Cottages	Linc/Link
SR/080/003 CA0449	Tir ger 28 Heol Caerfyddin, Llandeilo / Land adjacent 28 Carmarthen Rd, Llandeilo	Linc/Link
SR/080/004 CA0632	Tir ar Heol Myrddin, Ffairfach / Land at Heol Myrddin, Ffairfach	Linc/Link
SR/080/006 CA0650	Tir ger Gurrey Hill House, Nantyrhibo / Land adjacent to Gurrey Hill House, Nantyrhibo	Linc/Link
SR/080/007 CA0671	Tir yn Heol Cennen, Ffairfach / Land at Heol Cennen, Ffairfach	Linc/Link
SR/080/008 CA0681	Tir y Maerdy Hill, Ffairfach / Land at Maerdy Hill, Ffairfach	Linc/Link
SR/080/009 CA0823	Caeglas, Ffairfach	Linc/Link
SR/080/010 CA0824	Teras Tomas / Thomas Terrace	Linc/Link
SR/080/011 CA0851	Tir yn Nantyrhibo, Llandeilo / Land at Nantyrhibo, Llandeilo	Linc/Link
SR/080/012 CA0855	Tir i'r gogledd o Llandeilo / Land North of Llandeilo	Linc/Link
SR/080/013 CA0855	Chwarter Gogledd Llandeilo / Llandeilo Northern Quarter	Linc/Link

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/080/001 CA0243	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Tir ar Heol Talyllychau / Land at Talley Road	Ardal Safle / Site Area:	5.048ha
Defnydd Presennol / Existing Use:	Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Cam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn part lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+

6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymwl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
--	---	--------------	---

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility	✓		
10. A yw'r safle'n hygrych o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/recreational facilities that are within a reasonable distance?	X	ACI12 ACI15 ISA12 ISA15	-

15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(b) Darpariaeth fanwerthu / Retail provision	✓		+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgyllch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	✓	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	-

26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		
--	---	--	--

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
----------------------------	-----------------	--	----------------------

Hyfwedd ac Ymarferoldeb / Viability and Deliverability

28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Byddai ddatblygiad yn achosi ymestyniad afresymol o'r ffurf drefol. Mae digon o dir preswyl wedi'i ddyrannu yn yr anheddiad. Mae'r Safle i aros y tu allan i'r terfynau datblygu.

Development would lead to an illogical extension of the urban form. There is sufficient residential land allocated in the settlement. The Site will remain outside of limits.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/080/002 CA0274	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Tir ger Red Cottages / Land adjoining Red Cottages	Ardal Safle / Site Area:	0.5983ha
Defnydd Presennol / Existing Use:	Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn part lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+

6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymwl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
--	---	--------------	---

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
----------------------------	-----------------	--	--------------------------

Cyffredinol / General

7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys ailddefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gweledded digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/recreational facilities that are within a reasonable distance?	X	ACI12 ACI15 ISA12 ISA15	-

15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(b) Darpariaeth fanwerthu / Retail provision	✓		+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgyllch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	✓	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	-

26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		
--	---	--	--

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr laith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Byddai ddatblygiad yn achosi ymestyniad afresymol o'r ffurf drefol. Fe fydd y safle yn aros y tu allan i'r terfynau datblygu. Mae digon o dir preswyl wedi'i ddyrannu yn yr anheddiad. Mae'r sefyllfa gyda Safle Gwaith Trin Dŵr Gwastraff Dŵr Cymru yn Ffairfach yn ystyriaeth.

Development would lead to an illogical extension of the urban form. The Site will remain outside of limits. There is sufficient residential land allocated in the settlement. The position with DCWW WWTW at Ffairfach is a consideration.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/080/003 CA0449	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Tir ger 28 Heol Caerfyrddin, Llandeilo / Land adjacent 28 Carmarthen Rd, Llandeilo	Ardal Safle / Site Area:	0.9569ha
Defnydd Presennol / Existing Use:	Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn part lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys ailddefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility			
10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gweledded digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrrd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			

(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(b) Darpariaeth fanwerthu / Retail provision	✓		+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgyllch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	✓	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	-
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?

X

ACI11
ISA11

+

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	X		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	X		

Sylwadau Ychwanegol / Additional Comments

Mae pryderon ynghylch y gallu i gyflawni'r safle. Rhan o'r safle (ffryntiad) i'w gynnwys o fewn terfynau datblygu. Gweddill y safle i'w eithrio o derfynau datblygu. There are concerns at the deliverability of the site. Part of the site (frontage) to be included within development limits. The remainder of the site to be excluded from development limits.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/080/004 CA0632	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Tir ar Heol Myrddin, Ffairfach / Land at Heol Myrddin, Ffairfach	Ardal Safle / Site Area:	13.03ha
Defnydd Presennol / Existing Use:	Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn part holl perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	✓	ACI4 ACI5 ISA4 ISA5	-
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymwl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+

6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
--	---	--------------	---

Sylwadau Ychwanegol / Additional Comments

Mae rhan fechan iawn o'r safle wedi ei leoli o fewn Parth C2 fel y'i dynodir gan Fapiau Cyngor Datblygu TAN15.

A very small part of the site is located within Zone C2 as identified by the TAN15 Development Advice Maps.

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys ailddefnyddio tir a/neu adeiladau addas a ddatblygyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility	✓		
10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+

15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(b) Darpariaeth fanwerthu / Retail provision	✓		+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgyllch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	✓	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	-

26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		
--	---	--	--

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr laith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Byddai ddatblygiad yn achosi ymestyniad afresymol o'r ffurf drefol. Mae digon o dir preswyl wedi'i ddyrrannu yn yr anheddiad. Fe fydd y safle yn aros y tu allan i'r terfynau datblygu. Development would lead to an illogical extension of the urban form. There is sufficient residential land allocated in the settlement. The Site will remain outside of limits.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/080/006 CA0650	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Tir ger Gurrey Hill House, Nantyrhibo / Land adjacent to Gurrey Hill House, Nantyrhibo	Ardal Safle / Site Area:	0.2355ha
Defnydd Presennol / Existing Use:	Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
---	---

Hanes Cynllunio Perthnasol / Relevant Planning History

--

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	X		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn part lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+

6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
--	---	--------------	---

Sylwadau Ychwanegol / Additional Comments

Ni all y safle gynnwys 5 annedd neu mwy ac fe fyddai ei ddatblygiad yn arwain at ymestyniad annerbyniol o'r terfynau datblygu i mewn i gae newydd. Fe fydd y safle yn aros y tu allan i'r terfynau datblygu.
The site is too small to accommodate 5 or more dwellings and its development would lead to an unacceptable extension of the development limits into a new field. The Site will remain outside of limits.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/080/007 CA0671	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Tir yn Heol Cennen, Ffairfach / Land at Heol Cennen, Ffairfach	Ardal Safle / Site Area:	1.204ha
Defnydd Presennol / Existing Use:	Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

(Empty box for additional comments)

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Cam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn part hle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymwl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymwl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility			
10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonal? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+

14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(b) Darpariaeth fanwerthu / Retail provision	✓		+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daaregol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgyllch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	✓	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	-
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Byddai ddatblygiad yn achosi ymestyniad afresymol o'r ffurf drefol. Mae digon o dir preswyl wedi'i ddyrannu yn yr anheddiad. Fe fydd y safle yn aros y tu allan i'r terfynau datblygu. Development would lead to an unacceptable extension of the urban form. There is sufficient residential land allocated in the settlement. The Site will remain outside of limits.

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/080/008 CA0681	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Tir y Maerdy Hill, Ffairfach / Land at Maerdy Hill, Ffairfach	Ardal Safle / Site Area:	2.852ha
Defnydd Presennol / Existing Use:	Porfa / Pasture	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn part lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+

6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymwl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
--	---	--------------	---

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	✓		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	✓	ACI8 ACI9 ISA8 ISA9	-
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility			
10. A yw'r safle'n hygrych o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrrd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/recreational facilities that are within a reasonable distance?	X	ACI12 ACI15 ISA12 ISA15	-

15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(b) Darpariaeth fanwerthu / Retail provision	✓		+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
--	---	--	--

25. A yw'r safle o fewn neu'n gyfagos i ddalgyllch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	✓	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	-
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Byddai ddatblygiad yn achosi ymestyniad afresymol o'r ffurf drefol. Mae digon o dir preswyli wedi'i ddyrrannu yn yr anheddiad. Fe fydd y safle yn aros y tu allan i'r terfynau datblygu. Development would lead to an illogical extension of the urban form. There is sufficient residential land allocated in the settlement. The Site will remain outside of limits.

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/080/009 CA0823	Cyfeirnod y Safle / Site Reference:	T2/2/h5
Cyfeiriad y Safle / Site Address:	Caeglas, Ffairfach	Ardal Safle / Site Area:	1.768ha
Defnydd Presennol / Existing Use:	Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeyfrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeyfrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+

6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymwl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
--	---	--------------	---

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys ailddefnyddio tir a/neu adeiladau addas a ddatblygyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility			
10. A yw'r safle'n hygrych o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gweledded digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad adidas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrrd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+

15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(b) Darpariaeth fanwerthu / Retail provision	✓		+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
--	---	--	--

25. A yw'r safle o fewn neu'n gyfagos i ddalgyllch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	✓	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	-
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfwedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Ceir pryderon ynghylch y gallu i gyflawni'r safle. Mae'r safle yn ddyraniad preswyl hirsefydlog ac nid oes unrhyw gynnydd pendant wedi'i wneud i'w ddatblygu. Mae'r dyraniad i'w ddileu a'r safle i'w hepgor y tu allan i'r terfynau datblygu.

There are concerns over the

deliverability of the site. The site has been allocated for housing for a number of years and has not been developed. Allocation to be removed and the site to be excluded from development limits.

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/080/010 CA0824	Cyfeirnod y Safle / Site Reference:	T2/2/h4
Cyfeiriad y Safle / Site Address:	Teras Tomas / Thomas Terrace	Ardal Safle / Site Area:	0.0777ha
Defnydd Presennol / Existing Use:	Tir a ddatblygwyd yn flaenorol / Previously developed land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

(Leave blank)

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn part lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymwl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymwl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gweledded digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylwedol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+

14. A oes gan y safle fynediad i lecynnau gwydd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	X	ACI12 ACI15 ISA12 ISA15	-
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(b) Darpariaeth fanwerthu / Retail provision	✓		+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgyllch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	✓	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	-
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfwedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Dyraniad i'w ddileu. Ceir pryderon yng Nghymru y gallu i gyflawni'r safle. Mae'r safle yn ddyraniad preswyl hirsefydlog ac nid oes unrhyw gynnnydd pendant wedi'i wneud i'w gyflawni. Bydd yn cael ei gynnwys o fewn terfynau datblygu o achos ei leoliad tu fewn y ffurf trefol.

Allocation to be removed. There are concerns at the deliverability of the site. The site represents a longstanding residential allocation, no firm progress has been made on delivery. It will be included within development limits due to its position in the urban form.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/080/011 CA0851	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Tir yn Nantyrhibo, Llandeilo / Land at Nantyrhibo, Llandeilo	Ardal Safle / Site Area:	0.442ha
Defnydd Presennol / Existing Use:	Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn part hle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+

6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymwl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
--	---	--------------	---

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys ailddefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility	✓		
10. A yw'r safle'n hygrych o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gweledded digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrrd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+

15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(b) Darpariaeth fanwerthu / Retail provision	✓		+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	✓	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	-

26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		
--	---	--	--

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr laith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfwedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Ystyrir nad yw Nantyrhibo yn briodol i ddarparu ar gyfer dyraniad preswyl o 5 annedd neu fwy. Mae digon o dir preswyl wedi'i ddyrannu yn ardal Llandeilo. Bydd y safle yn aros y tu allan i'r terfynau datblygu. It is considered that Nantyrhibo is not appropriate to accommodate a residential allocation of 5 or more dwellings. There is sufficient residential land allocated in the Llandeilo area. The Site will remain outside of limits.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/080/012 CA0855	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Tir i'r gogledd o Llandeilo / Land North of Llandeilo	Ardal Safle / Site Area:	1.481ha
Defnydd Presennol / Existing Use:	Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

(Leave blank)

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn part lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	✓	ACI4 ACI5 ISA4 ISA5	-
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+

6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
--	---	--------------	---

Sylwadau Ychwanegol / Additional Comments

Mae rhan fechan iawn o'r safle wedi ei leoli o fewn Parth C2 fel y'i dynodir gan Fapiau Cyngor Datblygu TAN15.

A very small part of the site is located within Zone C2 as identified by the TAN15 Development Advice Maps.

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
----------------------------	-----------------	--	--------------------------

Cyffredinol / General

7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	✓		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	✓	ACI8 ACI9 ISA8 ISA9	-
9. A fydd y cynnig yn cynnwys ailddefnyddio tir a/neu adeiladau addas a ddatblygyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility

10. A yw'r safle'n hygrych o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	X		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	X		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+

14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(b) Darpariaeth fanwerthu / Retail provision	✓		+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgyllch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	✓	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	-
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
----------------------------	-----------------	--	----------------------

Hyfwedd ac Ymarferoldeb / Viability and Deliverability

28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Byddai ddatblygiad yn achosi ymestyniad afresymol o'r ffurf drefol. Mae digon o dir preswyl wedi'i ddyrannu yn yr anheddiad. Fe fydd y safle yn aros y tu allan i'r terfynau datblygu.

Development would lead to an unacceptable extension to the settlement limits. There is sufficient residential land allocated in the settlement. The Site will remain outside of limits.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/080/013 CA0855	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Chwarter Gogledd Llandeilo / Llandeilo Northern Quarter	Ardal Safle / Site Area:	3.959ha
Defnydd Presennol / Existing Use:	Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

(Empty box for additional comments)

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn part lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymwl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymwl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility	✓		
10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gweleddedig digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+

14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(b) Darpariaeth fanwerthu / Retail provision	✓		+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgyllch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	✓	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	-
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
----------------------------	-----------------	--	----------------------

Hyfwedd ac Ymarferoldeb / Viability and Deliverability

28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Mae'r safle ymgeisiol hwn yn rhan o ddyraniad tai T2/2/h1 yn y CDLI mabwysiedig. Ceir pryderon yngylch y gallu i gyflawni'r safle. Mae'r safle wedi ei ddyrrannu am dai am nifer o flynyddoedd ac nid yw wedi cael ei ddatblygu. Dyraniad i gael ei gostwng mewn maint i ardal safle ymgeisio SR/080/005 gyda chyfeirnod SeC16/h1; y gweddill i gael ei hepgor y tu allan i'r terfynau datblygu.

This candidate site forms part of housing allocation T2/2/h1 in the adopted LDP. There are concerns over the deliverability of the site. The site has been allocated for housing for a number of years and has not been developed. Allocation to be reduced in size to the area covered by candidate site SR/080/005 with reference SeC16/h1; the remainder to be excluded from development limits.

SeC17

Llangadog

SR/090/001 (CA0116)	Tir oddi ar Heol Pendref / Land off Heol Pendref	Linc/Link
SR/090/002 CA0161	Tir ger safle Hamdden / Land adjacent Recreation Ground	Linc/Link
SR/090/004 CA0800	Tir yn Brynawelon / Land at Brynawelon	Linc/Link

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	SR/090/001 (CA0116)	Cyfeirnod y Safle / Site Reference:	Rhan / Part SeC17/h2
Cyfeiriad y Safle / Site Address:	Tir oddi ar Heol Pendref / Land off Heol Pendref	Ardal Safle / Site Area:	1.022ha
Defnydd Presennol / Existing Use:	Safle Glas / Green field	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	
Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History			
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X		
Hanes Cynllunio Perthnasol / Relevant Planning History			
Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+
Sylwadau Ychwanegol / Additional Comments			
<p>Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment</p>			
Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn part lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymwl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+

6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
--	---	--------------	---

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
----------------------------	-----------------	--	--------------------------

Cyffredinol / General

7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gweledded digonal? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrrd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/recreational facilities that are within a reasonable distance?	X	ACI12 ACI15 ISA12 ISA15	-

15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(b) Darpariaeth fanwerthu / Retail provision	✓		+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Mae dyddodion tywod a graean o dan y safle, ond ystyrir bod yr adnodd yn y lleoliad hwn eisoes wedi'i sterileiddio i raddau helaeth gan ei fod o fewn 200m o ddatblygiad sensitif.

Sand and gravel deposits underlie the site, however the resource at this location is considered to be already largely sterilised as it is within 200m of sensitive development.

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgyllch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	✓	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	-
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Fel rhan o unrhyw gais cynllunio dilynol, bydd angen i'r ymgeisydd / datblygwr fodloni'r gofynion i ostwng lefelau ffosffad sy'n gysylltiedig â'u datblygiad.

As part of any subsequent planning application, the applicant / developer will need to satisfy the requirements to reduce phosphate levels associated with their development.

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Dyrannu'r tu blaen ar gyfer datblygiadau preswyl gyda'r cyfeirnod SeC17/h2. Nid oes angen dyrannu'r safle cyfan. Mae digon o dir preswyl wedi'i ddyrannu yn yr anheddiad.

Allocate the frontage for residential development with reference SeC17/h2. Allocation of the whole site is not required. There is sufficient residential land allocated within the settlement.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/090/002 CA0161	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Tir ger safle Hamdden / Land adjacent Recreation Ground	Ardal Safle / Site Area:	1.496ha
Defnydd Presennol / Existing Use:	Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn part hle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymwl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymwl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	✓		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	✓	ACI8 ACI9 ISA8 ISA9	-
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility			
10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gweledded digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+

14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	X	ACI12 ACI15 ISA12 ISA15	-
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(b) Darpariaeth fanwerthu / Retail provision	✓		+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgyllch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	✓	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	-
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfwedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Byddai'r datblygiad yn arwain at estyniad afresymegol i'r ffurf drefol. Mae digon o dir preswyl wedi ei dyrannu yn yr anheddiad. Bydd y safle yn cael ei gadw tu fas i derfynau datblygu.

Development would lead to an unacceptable extension of the urban form. There is sufficient residential land allocated in the settlement. The Site will remain outside of limits.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/090/004 CA0800	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Tir yn Brynawelon / Land at Brynawelon	Ardal Safle / Site Area:	3.388ha
Defnydd Presennol / Existing Use:	Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeyfrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeyfrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn part lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymwl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+

6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymwl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
--	---	--------------	---

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
----------------------------	-----------------	--	--------------------------

Cyffredinol / General

7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	✓		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	✓	ACI8 ACI9 ISA8 ISA9	-
9. A fydd y cynnig yn cynnwys ailddefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gweledded digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrrd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			

(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(b) Darpariaeth fanwerthu / Retail provision	✓		+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daaregol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	✓	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	-
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfwedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Byddai'r datblygiad yn arwain at estyniad afresymegol i'r ffurf drefol. Mae digon o dir preswyl wedi ei dyrannu yn yr anheddiad. Bydd elfen fach o tu flaen y safle'n cael ei gadw tu fewn terfynau datblygu o achos ei berthynas yn y ffurf trefol.

Development would lead to an unacceptable extension of the urban form. There is sufficient residential land allocated in the settlement. A small element of the frontage will remain within development limits due to its position in the urban form.

SuV45

Ffarmers

SR/060/001 CA0327	Tir yn Fferm Llwyncelyn Mawr / Land at Llwyncelyn Mawr Farm	Linc/Link
SR/060/002 CA0737	Tir yn Ffarmers, Llanwrda / Land at Ffarmers, Llanwrda	Linc/Link

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/060/001 CA0327	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Tir yn Fferm Llwyn Celyn Mawr / Land at Llwyn Celyn Mawr Farm	Ardal Safle / Site Area:	0.2016ha
Defnydd Presennol / Existing Use:	Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn part hle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymwl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymwl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys ailddefnyddio tir a/neu adeiladau addas a ddatblygywyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility	✓		
10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gweledded digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+

14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(b) Darpariaeth fanwerthu / Retail provision	✓		+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgyllch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	✓	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	-
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
----------------------------	-----------------	--	----------------------

Hyfwedd ac Ymarferoldeb / Viability and Deliverability

28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Mae digon o gyfleoedd am dai ar gael yn yr anheddiad. Bydd datblygiad yn arwain at estyniad afresymegol i'r anheddiad.
 Sufficient residential opportunities exist within the settlement. Development would lead to an unacceptable extension to the settlement.

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/060/002 CA0737	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Tir yn Ffarmers, Llanwrda / Land at Ffarmers, Llanwrda	Ardal Safle / Site Area:	0.5626ha
Defnydd Presennol / Existing Use:	Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn part lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+

6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymwl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
--	---	--------------	---

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildddefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility			
10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+

15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(b) Darpariaeth fanwerthu / Retail provision	✓		+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
--	---	--	--

25. A yw'r safle o fewn neu'n gyfagos i ddalgyllch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
--	---	----------------------------------	---

26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		
--	---	--	--

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

(Leave blank if no additional comments)

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

(Leave blank if no additional comments)

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
----------------------------	-----------------	--	----------------------

Hyfywedd ac Ymarferoldeb / Viability and Deliverability

28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Mae rhan fach o'r safle yn cynnwys tir blaen rhwng dau eiddo presennol a bydd yn aros o fewn y terfynau datblygu. Byddai datblygu gweddill y safle yn arwain at estyniad annerbyniol i'r anheddiad. Mae digon o gyfleoedd ar gyfer datblygiadau preswyll i'w cael o fewn yr anheddiad.

A small part of the site comprises frontage land between two existing properties and will remain within development limits. Development of the remainder of the site would lead to an unacceptable extension to the settlement. Sufficient residential opportunities exist within the settlement.

SuV47

Talyllychau / Talley

SR/152/001 CA0487	Tir ger Maes y Deri, Glyndwr, Derwenedeg, Talyllychau / Land adj. Maes y Deri, Glyndwr, Derwenedeg, Talley	Linc/Link
SR/152/002 CA0849	Tir fel rhan o Ffynnon Dawel / Land forming part of Ffynnon Dawel	Linc/Link

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/152/001 CA0487	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Tir ger Maes y Deri, Glyndwr, Derwenedeg, Talyllchau / Land adj. Maes y Deri, Glyndwr, Derwenedeg, Talley	Ardal Safle / Site Area:	0.4202ha
Defnydd Presennol / Existing Use:	Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeyfrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Nid yw'r safle yn cydymffurfio â darpariaethau'r Strategaeth a Ffeyfrir, gan ei fod ar wahân i'r anheddiad a byddai'n arwain at ddatblygiad mewn cefn gwlad agored.

The site does not comply with the provisions of the Preferred Strategy as it is divorced from the settlement and would result in development in the open countryside.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/152/002 CA0849	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Tir fel rhan o Ffynnon Dawel / Land forming part of Ffynnon Dawel	Ardal Safle / Site Area:	0.3158ha
Defnydd Presennol / Existing Use:	Rhan Breswyl / Rhan Wag / Part Residential / Part Vacant	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

(Empty box for additional comments)

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	X		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn part lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Ni all y safle gynnwys 5 annedd neu fwy mwyach. Bydd yn cael ei gynnwys o fewn terfynau datblygu o achos ei leoliad o fewn y ffurf drefol, a bydd yn cyfrannu at safleoedd bach.

The site cannot accommodate 5 or more dwellings. It will be included within development limits due to its position in the urban form, and will contribute to small sites.

SuV48

Cwrt Henri

SR/044/001 CA0164	Tir ger Parc-Henri / Land adjacent Parc-Henri	Linc/Link
----------------------	---	-----------

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/044/001 CA0164	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Tir ger Parc-Henri / Land adjacent Parc-Henri	Ardal Safle / Site Area:	0.5666ha
Defnydd Presennol / Existing Use:	Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn part hle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymwl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+

6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
--	---	--------------	---

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	✓		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	✓	ACI8 ACI9 ISA8 ISA9	-
9. A fydd y cynnig yn cynnwys ailddefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility			
10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gweledded digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+

15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(b) Darpariaeth fanwerthu / Retail provision	✓		+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
--	---	--	--

25. A yw'r safle o fewn neu'n gyfagos i ddalgyllch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	✓	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	-
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Byddai'r datblygiad yn arwain at estyniad afresymegol i'r ffurf drefol mewn cae sydd wedi'i wahanu oddi wrth y terfynau datblygu presennol. Bydd y safle yn aros y tu allan i'r terfynau. Development would lead to an illogical extension of the urban form into a field that is detached from the current development limits . The Site will remain outside of limits.

SuV49

Llanfynydd

SR/089/001 CA0610	Tu gefn y Capel, Llanfynydd / Rear of Chapel, Llanfynydd	Linc/Link
SR/089/002 CA0614	Safle C. tu gefn i'r capel / Site C Land rear of Chapel	Linc/Link
SR/089/003 CA0615	Safle A Tir yn Haulfryn / Site A Land at Haulfryn	Linc/Link

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/089/001 CA0610	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Tu gefn y Capel, Llanfynydd / Rear of Chapel, Llanfynydd	Ardal Safle / Site Area:	0.0539ha
Defnydd Presennol / Existing Use:	Amaethyddol / Perllan - Agricultural / Orchard	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

(Empty box for additional comments)

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	X		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn part lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Ni all y safle gynnwys 5 neu fwy o anheddau, rhan o'r safle l'w gynnwys tu fewn terfynau datblygu. Bydd gweddill y safle'n cael ei gynnwys tu fewn terfynau datblygu i adlewyrchu ffiniau naturiol ac fe fydd yn cyfrannu at gyflenwi safleoedd fach.

The site cannot accommodate 5 or more dwellings. Part of the site is within development limits. The remainder will be placed within limits to reflect natural boundaries and will contribute to small sites.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/089/002 CA0614	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Safle C. tu gefn i'r capel / Site C Land rear of Chapel	Ardal Safle / Site Area:	0.2993
Defnydd Presennol / Existing Use:	Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn part lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymwl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymwl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
----------------------------	-----------------	--	--------------------------

Cyffredinol / General

7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	✓		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	✓	ACI8 ACI9 ISA8 ISA9	-
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility

10. A yw'r safle'n hygrych o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gweledded digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		

13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrrd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/recreational facilities that are within a reasonable distance?	X	ACI12 ACI15 ISA12 ISA15	-
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Seilwaith a Chyfleustodau / Infrastructure and Utilities			
24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgyllch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		
Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments			
Y Gymraeg / Welsh Language			
27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments			
Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfwedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		
Sylwadau Ychwanegol / Additional Comments			
Byddai'r datblygiad yn arwain at estyniad afresymegol i'r ffurf drefol. Mae digon o safleoedd preswyl i'w cael o fewn yr anheddiad. Bydd y safle'n sefyll tu fas y terfynau datblygu.			
Development would lead to an illogical extension of the urban form. There is sufficient residential land allocated in the settlement. The Site will remain outside of limits.			

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/089/003 CA0615	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Safle A Tir yn Haulfryn / Site A Land at Haulfryn	Ardal Safle / Site Area:	0.0603ha
Defnydd Presennol / Existing Use:	Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

(Empty box for additional comments)

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	X		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn part lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Ni all y safle gynnwys 5 neu fwy o anheddau. Bydd yn aros tu fewn y terfynau datblygu o achos ei leoliad o fewn y ffurf trefol a bydd yn cyfrannu at yr elfen o gyflenwi safleoedd bach.

The site cannot accommodate 5 or more dwellings. It will remain in limits due to its position in the urban form and will contribute to small sites.

SuV51

Cwmifor

SR/042/001 CA0174	Tir yn Fferm Cwmifor / Land at Cwmifor Farm	Linc/Link
SR/042/002 CA0484	Tir ger Isfryn, Cwmifor / Land adjacent Isfryn, Cwmifor	Linc/Link
SR/042/003 CA0485	Tir ger Abbotsbury, Cwmifor / Land adjacent Abbotsbury, Cwmifor	Linc/Link

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/042/001 CA0174	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Tir yn Fferm Cwmifor / Land at Cwmifor Farm	Ardal Safle / Site Area:	0.3026 ha
Defnydd Presennol / Existing Use:	Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn part lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+

6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
--	---	--------------	---

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys ailddefnyddio tir a/neu adeiladau addas a ddatblygyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility			
10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gweledded digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+

15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(b) Darpariaeth fanwerthu / Retail provision	✓		+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
--	---	--	--

25. A yw'r safle o fewn neu'n gyfagos i ddalgyllch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	✓	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	-
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

(Leave blank if no additional comments)

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

(Leave blank if no additional comments)

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
----------------------------	-----------------	--	----------------------

Hyfwedd ac Ymarferoldeb / Viability and Deliverability

28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Rhan ddeheuol y safle, sy'n medru cynnwys 5 o dai, i'w gadw tu fewn y terfynau datblygu. Rhan ogledol i'w gadw tu allan i'r terfynau datblygu. Mae digon o dir mwy addas ar gael ar gyfer datblygiadau preswyl yn yr anheddiad i ddarparu ar gyfer ei hangen am dai.

Southern part of site to be retained within development limits which would accommodate under 5 dwellings. Northern part to remain outside development limits. There is sufficient and more suitable land available in the settlement to meet the housing needs.

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/042/002 CA0484	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Tir ger Isfryn, Cwmifor / Land adjacent Isfryn, Cwmifor	Ardal Safle / Site Area:	0.6868 ha
Defnydd Presennol / Existing Use:	Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

(Empty box for additional comments)

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn part lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymwl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymwl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys ailddefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility	X		
10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	X		
11. A oes gan y safle bwynt mynediad sydd â gweleddedig digonol? / Does the site have an available access point with adequate visibility?	X		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad adidas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+

14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(b) Darpariaeth fanwerthu / Retail provision	✓		+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daaregol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgyllch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	✓	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	-
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Byddai'r datblygiad yn arwain at ymlediad diangen y tu hwnt i derfynau'r anheddiad. Mae'n aneglur os oes pwyt myneidiad ar gael gydag gweleddedd ddigonol. Mae digon o dir mwy addas ar gael ar gyfer datblygiadau preswyll yn yr anheddiad i ddarparu ar gyfer ei hangen am dai. Bydd y safle'n aros tu allan i'r terfynau datblygu.

Development would lead to an unnecessary encroachment beyond the settlement limits. It is unclear if the site has an available access point with adequate visibility. There is sufficient residential land allocated in the settlement. The Site will remain outside of limits.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/042/003 CA0485	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Tir ger Abbotsbury, Cwmifor / Land adjacent Abbotsbury, Cwmifor	Ardal Safle / Site Area:	0.3991 ha
Defnydd Presennol / Existing Use:	Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn part lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+

6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
--	---	--------------	---

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
----------------------------	-----------------	--	--------------------------

Cyffredinol / General

7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	✓		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	✓	ACI8 ACI9 ISA8 ISA9	-
9. A fydd y cynnig yn cynnwys ailddefnyddio tir a/neu adeiladau addas a ddatblygyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

--	--	--	--

Hygyrchedd / Accessibility

10. A yw'r safle'n hygrych o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gweledded digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			

(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(b) Darpariaeth fanwerthu / Retail provision	✓		+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
--	---	--	--

25. A yw'r safle o fewn neu'n gyfagos i ddalgyllch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	✓	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	-
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

(Leave blank if no additional comments)

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

(Leave blank if no additional comments)

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
----------------------------	-----------------	--	----------------------

Hyfwedd ac Ymarferoldeb / Viability and Deliverability

28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Byddai'r datblygiad yn arwain at estyniad afresymegol i'r ffurf drefol. Mae digon o dir mwy addas ar gael ar gyfer datblygiadau preswyl yn yr anheddiad i ddarparu ar gyfer ei hangen am dai. Caiff y safle ei gadw tu allan i'r terfynau datblygu.

Development would lead to an unacceptable and illogical extension of the settlement. There is sufficient residential land allocated in the settlement. The Site will remain outside of limits.

Llanwrda

SR/107/001 CA0054	6Km I Ogledd o Lanwrda (Porthyrhyd) / 6Km North of Llanwrda (Porthyrhyd)	Linc/Link
SR/107/002 CA0063	Tir cyferbyn Borezell / Land opposite Borezell	Linc/Link

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/107/001 CA0054	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	6Km I Ogledd o Lanwrda (Porthyrhyd) / 6Km North of Llanwrda (Porthyrhyd)	Ardal Safle / Site Area:	2.41 ha
Defnydd Presennol / Existing Use:	Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
---	---

Hanes Cynllunio Perthnasol / Relevant Planning History

--	--

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	X	ACI1 ISA1	--

Sylwadau Ychwanegol / Additional Comments

Nid yw'r safle yn cydymffurfio â darpariaethau'r Strategaeth a Ffefrir, gan ei fod ar wahân i'r anheddiad a byddai'n arwain at ddatblygiad mewn cefn gwlad agored.

The site does not comply with the provisions of the Preferred Strategy as it is divorced from the settlement and would result in development in the open countryside.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/107/002 CA0063	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Tir cyferbyn Borezell / Land opposite Borezell	Ardal Safle / Site Area:	0.18ha
Defnydd Presennol / Existing Use:	Gardd / Garden	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
---	---

Hanes Cynllunio Perthnasol / Relevant Planning History

--

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	X		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	X		
4. A yw'r safle wedi'i leoli mewn part lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Ni all y safle gynnwys 5 neu fwy o anheddau. Bydd yn cael ei gynnwys o fewn terfynau datblygu o achos ei leoliad yn y ffurf trefol a bydd yn cyfrannu at yr elfen o gyflenwi safleoedd bach / The site cannot accommodate 5 or more dwellings. It will be included within development limits due to its position in the urban form, and will contribute to small sites.

Salem

SR/147/001 CA0079	Tir i Orllewin Bryngwyn, Salem / Land west of Bryngwyn, Salem	Linc/Link
SR/147/002 CA0108	Stablau, agos i Bryngwyn / Stables, Near Bryngwyn	Linc/Link
SR/147/003 CA0146	Tir 1.3Km i Ogledd-Gorllewin Salem / Land 1.3Km North West of Salem	Linc/Link
SR/147/004 CA0270	Heol y Golwg Gar	Linc/Link
SR/147/005 CA0443	Aberdeunant, C2177 o Salem i Cwmdu / Aberdeunant, C2177 from Salem to Cwmdu	Linc/Link
SR/147/006 CA0492	Hafod 0.5Km Gorllewin i Salem / Hafod 0.5Km West of Salem	Linc/Link

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/147/001 CA0079	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Tir i Orllewin Bryngwyn, Salem / Land west of Bryngwyn, Salem	Ardal Safle / Site Area:	1.198ha
Defnydd Presennol / Existing Use:	Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	PL/00286

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn part lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymwl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymwl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	✓		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	✓	ACI8 ACI9 ISA8 ISA9	-
9. A fydd y cynnig yn cynnwys ailddefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility	✓		
10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+

14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	X	ACI12 ACI15 ISA12 ISA15	-
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(b) Darpariaeth fanwerthu / Retail provision	✓		+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daaregol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
--	---	--	--

25. A yw'r safle o fewn neu'n gyfagos i ddalgyllch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	✓	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	-
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
----------------------------	-----------------	--	----------------------

Hyfwedd ac Ymarferoldeb / Viability and Deliverability

28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Byddai datblygiad yn arwain at estyniad afresymegol i'r ffurf drefol. Mae digon o gyfle preswyl yn yr anheddiad. Bydd y safle yn aros y tu allan i'r terfynau datblygu.

Development would lead to an illogical extension of the urban form. There is sufficient residential opportunity within the settlement. The Site will remain outside of limits.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/147/002 CA0108	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Stablau, agos i Bryngwyn / Stables, Near Bryngwyn	Ardal Safle / Site Area:	0.19ha
Defnydd Presennol / Existing Use:		Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
	Iard stabl a gardd / Stable yard and garden	Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	X		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn part hle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+

6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
--	---	--------------	---

Sylwadau Ychwanegol / Additional Comments

Ni all y safle gynnwys 5 annedd neu fwy. Bydd yn cael ei gynnwys o fewn terfynau datblygu o achos ei leoliad o fewn y ffurf drefol, a bydd yn cyfrannu at safleoedd bach

The site cannot accommodate 5 or more dwellings. It will be included within development limits due to its position in the urban form, and will contribute to small sites

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/147/003 CA0146	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Tir 1.3Km i Ogledd-Gorllewin Salem / Land 1.3Km North West of Salem	Ardal Safle / Site Area:	1.891ha
Defnydd Presennol / Existing Use:	Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	X	ACI1 ISA1	--

Sylwadau Ychwanegol / Additional Comments

Nid yw'r safle yn cydymffurfio â darpariaethau'r Strategaeth a Ffefrir, gan ei fod ar wahân i'r anheddiad a byddai'n arwain at ddatblygiad mewn cefn gwlad agored.

The site does not comply with the provisions of the Preferred Strategy as it is divorced from the settlement and would result in development in the open countryside.

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/147/004 CA0270	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Heol y Golwg Gar	Ardal Safle / Site Area:	0.3ha
Defnydd Presennol / Existing Use:		Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
	Tir Gwag / Vacant Land	Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	X		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn part hle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+

6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
--	---	--------------	---

Sylwadau Ychwanegol / Additional Comments

Ni all y safle gynnwys 5 annedd neu fwy mwyach. Bydd yn parhau i gael ei gynnwys o fewn terfynau datblygu o achos ei leoliad o fewn y ffurf drefol, a bydd yn cyfrannu at safleoedd bach

The site cannot accommodate 5 or more dwellings. It will be included within development limits due to its position in the urban form, and will contribute to small sites

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/147/005 CA0443	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Aberdeunant, C2177 o Salem i Cwmdu / Aberdeunant, C2177 from Salem to Cwmdu	Ardal Safle / Site Area:	0.5751ha
Defnydd Presennol / Existing Use:	Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Arall (Ysgrifennwch isod) / Other (Please write below)
		Os arall, nodwch / If other, specify:	Preswyl/Defnydd Cymysg / Housing/Mixed Use

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
---	---

Hanes Cynllunio Perthnasol / Relevant Planning History

--

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn part hle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+

6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymwl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
--	---	--------------	---

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	✓		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	✓	ACI8 ACI9 ISA8 ISA9	-
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility			
10. A yw'r safle'n hygrych o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrrd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/recreational facilities that are within a reasonable distance?	X	ACI12 ACI15 ISA12 ISA15	-

15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(b) Darpariaeth fanwerthu / Retail provision	✓		+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	✓	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	-

26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		
--	---	--	--

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr laith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
----------------------------	-----------------	--	----------------------

Hyfwedd ac Ymarferoldeb / Viability and Deliverability

28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Byddai datblygiad yn arwain at estyniad afresymegol i'r ffurf drefol. Mae digon o gyfle preswyl yn yr anheddiad. Bydd y safle yn aros y tu allan i'r terfynau datblygu.

Development would lead to an illogical extension of the urban form. There is sufficient residential opportunity within the settlement. The Site will remain outside of limits.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/147/006 CA0492	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Hafod 0.5Km Gorllewin i Salem / Hafod 0.5Km West of Salem	Ardal Safle / Site Area:	0.4618ha
Defnydd Presennol / Existing Use:	Tir Gwag / Vacant Land	Defnydd Arfaethedig / Proposed Use:	Arall (Ysgrifennwch isod) / Other (Please write below)
		Os arall, nodwch / If other, specify:	Hamdden / Recreation

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn part lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymwl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymwl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility	X		
10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	X		
11. A oes gan y safle bwynt mynediad sydd â gweledded digonol? / Does the site have an available access point with adequate visibility?	X		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad adidas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	X	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	-

14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	X	ACI12 ACI15 ISA12 ISA15	-
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(b) Darpariaeth fanwerthu / Retail provision	✓		+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymwl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymwl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
--	---	--	--

25. A yw'r safle o fewn neu'n gyfagos i ddalgyllch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	✓	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	-
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
----------------------------	-----------------	--	----------------------

Hyfwedd ac Ymarferoldeb / Viability and Deliverability

28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Mae'r safle wedi'i wahanu oddi wrth yr anheddiad, ac felly byddai'n arwain at ddatblygu gwasgaredig mewn cefn gwlad agored. Bydd cynigion am ddatblygiadau yn ymwneud efo hamdden eu hystyried o dan bolisi.

The site is divorced from the settlement and would result in sporadic development in the open countryside. Proposals for recreation related development will be determined under policy.

Ffaldybrenin

SR/059/001 CA0441	Tir i Orllewin Ffaldybrenin / Land West of Ffaldybrenin	Linc/Link
SR/059/002 CA0442	Tir i ddwyrain Ffaldybrenin / Land East of Ffaldybrenin	Linc/Link
SR/059/003 CA0707	Tir tu gefn o 1 & 2 Drovers, Ffaldybrenin / Land rear of 1 & 2 Drovers, Ffaldybrenin	Linc/Link

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/059/001 CA0441	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Tir i Orllewin Ffaldybrenin / Land West of Ffaldybrenin	Ardal Safle / Site Area:	1.06ha
Defnydd Presennol / Existing Use:	Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	X		
4. A yw'r safle wedi'i leoli mewn part lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae'r safle o fewn anheddiad Haen 4 ac felly bydd unrhyw gynnig ar y safle yn cael ei ystyried o dan bolisiau a nodir yn y CDLI diwygiedig / The site is within a Tier 4 settlement and therefore any site proposal will be considered under policies set out within the revised LDP.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/059/002 CA0442	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Tir i ddwyrain Ffaldybrenin / Land East of Ffaldybrenin	Ardal Safle / Site Area:	0.79ha
Defnydd Presennol / Existing Use:	Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	X		
4. A yw'r safle wedi'i leoli mewn part lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae'r safle o fewn anheddiad Haen 4 ac felly bydd unrhyw gynnig ar y safle yn cael ei ystyried o dan bolisiau a nodir yn y CDLI diwygiedig / The site is within a Tier 4 settlement and therefore any site proposal will be considered under policies set out within the revised LDP.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/059/003 CA0707	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Tir tu gefn o 1 & 2 Drovers, Ffaldybrenin / Land rear of 1 & 2 Drovers, Ffaldybrenin	Ardal Safle / Site Area:	0.5ha
Defnydd Presennol / Existing Use:	Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

(Empty box for additional comments)

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	X		
4. A yw'r safle wedi'i leoli mewn part lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae'r safle o fewn anheddiad Haen 4 ac felly bydd unrhyw gynnig ar y safle yn cael ei ystyried o dan bolisiau a nodir yn y CDLI diwygiedig / The site is within a Tier 4 settlement and therefore any site proposal will be considered under policies set out within the revised LDP.

Crugybar

SR/032/001 CA0611	Safle B, Tir yn Crugybar / Site B Land at Crugybar	Linc/Link
SR/032/002 CA0612	Safle C, Tir yn Crugybar / Site C Land at Crugybar	Linc/Link
SR/032/003 CA0613	Safle A, Tir gyferbyn Porfa Newydd / Site A Land opposite Porfa Newydd	Linc/Link

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/032/001 CA0611	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Safle B, Tir yn Crugybar / Site B Land at Crugybar	Ardal Safle / Site Area:	0.2ha
Defnydd Presennol / Existing Use:		Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
	Amaethyddol / Agricultural	Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

(Empty box for additional comments)

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	X		
4. A yw'r safle wedi'i leoli mewn part lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae'r safle o fewn anheddiad Haen 4 ac felly bydd unrhyw gynnig ar y safle yn cael ei ystyried o dan bolisiau a nodir yn y CDLI diwygiedig / The site is within a Tier 4 settlement and therefore any site proposal will be considered under policies set out within the revised LDP.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/032/002 CA0612	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Safle C, Tir yn Crugybar / Site C Land at Crugybar	Ardal Safle / Site Area:	0.42ha
Defnydd Presennol / Existing Use:		Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
	Amaethyddol / Agricultural	Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

(Empty box for additional comments)

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	X		
4. A yw'r safle wedi'i leoli mewn part lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae'r safle o fewn anheddiad Haen 4 ac felly bydd unrhyw gynnig ar y safle yn cael ei ystyried o dan bolisiau a nodir yn y CDLI diwygiedig / The site is within a Tier 4 settlement and therefore any site proposal will be considered under policies set out within the revised LDP.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/032/003 CA0613	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Safle A, Tir gyferbyn Porfa Newydd / Site A Land opposite Porfa Newydd	Ardal Safle / Site Area:	0.42ha
Defnydd Presennol / Existing Use:		Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	Amaethyddol / Agricultural

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

(Empty box for additional comments)

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	X		
4. A yw'r safle wedi'i leoli mewn part lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae'r safle o fewn anheddiad Haen 4 ac felly bydd unrhyw gynnig ar y safle yn cael ei ystyried o dan bolisiau a nodir yn y CDL1 diwygiedig. Mae rhan o'r safle o fewn y parth llifogydd C2 / The site is within a Tier 4 settlement and therefore any site proposal will be considered under policies set out within the revised LDP. Part of the site lies within a C2 flood risk zone

Ashfield Row

SR/005/001 CA0087	Tir ger Fferm Old Gate, Ashfield Row / Land adjacent Old Gate Farm, Ashfield Row	Linc/Link
----------------------	--	-----------

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/005/001 CA0087	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Tir ger Fferm Old Gate, Ashfield Row / Land adjacent Old Gate Farm, Ashfield Row	Ardal Safle / Site Area:	4.27ha
Defnydd Presennol / Existing Use:	Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Arall (Ysgrifennwch isod) / Other (Please write below)
		Os arall, nodwch / If other, specify:	Preswyl a Gwaith Carthffosiaeth / Residential & Sewerage works

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeyfrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	X	ACI1 ISA1	--

Sylwadau Ychwanegol / Additional Comments

Nid yw'r safle yn cydymffurfio â darpariaethau'r Strategaeth a Ffeyfrir, gan ei fod ar wahân i'r anheddiad a byddai'n arwain at ddatblygiad mewn cefn gwlaid agored.

The site does not comply with the provisions of the Preferred Strategy as it is divorced from the settlement and would result in development in the open countryside.

Felindre (Llangadog)

SR/054/001 CA0276	Tir yn Felindre, Llangadog / Land at Felindre, Llangadog	Linc/Link
----------------------	--	-----------

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/054/001 CA0276	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Tir yn Felindre, Llangadog / Land at Felindre, Llangadog	Ardal Safle / Site Area:	0.3057ha
Defnydd Presennol / Existing Use:	Amaethyddol / Agriculture	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

(Empty box for additional comments)

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	X		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae'r safle o fewn anheddiad Haen 4 ac felly bydd unrhyw gynnig ar y safle yn cael ei ystyried o dan bolisiau a nodir yn y CDLI diwygiedig / The site is within a Tier 4 settlement and therefore any site proposal will be considered under policies set out within the revised LDP.

Cynghordy

SR/045/001 CA0147	Tir ger Bronhaul, Cynghordy / Land adjacent to Bronhaul, Cynghordy	Linc/Link
----------------------	---	-----------

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/045/001 CA0147	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Tir ger Bronhaul, Cynghordy / Land adjacent to Bronhaul, Cynghordy	Ardal Safle / Site Area:	0.58ha
Defnydd Presennol / Existing Use:	Amaethyddol / Agriculture	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

(Empty box for additional comments)

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	X		
4. A yw'r safle wedi'i leoli mewn part lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae'r safle o fewn anheddiad Haen 4 ac felly bydd unrhyw gynnig ar y safle yn cael ei ystyried o dan bolisiau a nodir yn y CDLI diwygiedig / The site is within a Tier 4 settlement and therefore any site proposal will be considered under policies set out within the revised LDP.

Gelli Aur / Golden Grove

SR/066/001 CA0266	Tir yn Gelli Newydd / Land at Gelli Newydd	Linc/Link
----------------------	--	-----------

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/066/001 CA0266	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Tir yn Gelli Newydd / Land at Gelli Newydd	Ardal Safle / Site Area:	0.69ha
Defnydd Presennol / Existing Use:		Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
	Amwynder Anffurfiol / Glaswelltir / Informal amenity / grassland	Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

(Empty box for additional comments)

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	X		
4. A yw'r safle wedi'i leoli mewn part lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae'r safle o fewn anheddiad Haen 4 ac felly bydd unrhyw gynnig ar y safle yn cael ei ystyried o dan bolisiau a nodir yn y CDLI diwygiedig / The site is within a Tier 4 settlement and therefore any site proposal will be considered under policies set out within the revised LDP.

Derwen Fawr / Broad Oak

SR/013/001 CA0336	Tir ger Brynheulog, Derwen Fawr / Land adjacent Brynheulog, Broad Oak	Linc/Link
----------------------	--	-----------

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/013/001 CA0336	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Tir ger Brynheulog, Derwen Fawr / Land adjacent Brynheulog, Broad Oak	Ardal Safle / Site Area:	0.3563ha
Defnydd Presennol / Existing Use:	Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

(Empty box for additional comments)

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	X		
4. A yw'r safle wedi'i leoli mewn part lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae'r safle o fewn anheddiad Haen 4 ac felly bydd unrhyw gynnig ar y safle yn cael ei ystyried o dan bolisiau a nodir yn y CDLI diwygiedig / The site is within a Tier 4 settlement and therefore any site proposal will be considered under policies set out within the revised LDP.

Manordeilo

SR/111/001 CA0275	Tir yn Manordeilo / Land at Manordeilo	Linc/Link
SR/111/002 CA0378	Cae uwchben Dolau Tywi / Field above Dolau Tywi	Linc/Link

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/111/001 CA0275	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Tir yn Manordeilo / Land at Manordeilo	Ardal Safle / Site Area:	0.96ha
Defnydd Presennol / Existing Use:		Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
	Amaethyddol / Agricultural	Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

(Empty box for additional comments)

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	X		
4. A yw'r safle wedi'i leoli mewn part lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae'r safle o fewn anheddiad Haen 4 ac felly bydd unrhyw gynnig ar y safle yn cael ei ystyried o dan bolisiau a nodir yn y CDLI diwygiedig / The site is within a Tier 4 settlement and therefore any site proposal will be considered under policies set out within the revised LDP.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/111/002 CA0378	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Cae uwchben Dolau Tywi / Field above Dolau Tywi	Ardal Safle / Site Area:	0.26ha
Defnydd Presennol / Existing Use:		Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
	Amaethyddol / Agricultural	Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

(Empty box for additional comments)

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	X		
4. A yw'r safle wedi'i leoli mewn part lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae'r safle o fewn anheddiad Haen 4 ac felly bydd unrhyw gynnig ar y safle yn cael ei ystyried o dan bolisiau a nodir yn y CDLI diwygiedig / The site is within a Tier 4 settlement and therefore any site proposal will be considered under policies set out within the revised LDP.

Penybanc

SR/131/001 CA0863	Land at Penybanc / Tir yn Penybanc	Linc/Link
----------------------	------------------------------------	-----------

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/131/001 CA0863	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Land at Penybanc / Tir yn Penybanc	Ardal Safle / Site Area:	0.69ha
Defnydd Presennol / Existing Use:		Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
	Amaethyddol / Agricultural	Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

(Empty box for additional comments)

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	X		
4. A yw'r safle wedi'i leoli mewn part lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae'r safle o fewn anheddiad Haen 4 ac felly bydd unrhyw gynnig ar y safle yn cael ei ystyried o dan bolisiau a nodir yn y CDLI diwygiedig / The site is within a Tier 4 settlement and therefore any site proposal will be considered under policies set out within the revised LDP.

Felindre (Dryslwyn)

SR/055/001 CA0252	Glynteg, Felindre, Dryslwyn, SA32 8RJ	Linc/Link
----------------------	---------------------------------------	-----------

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/055/001 CA0252	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Glyn-teg, Felindre, Dryslwyn, SA32 8RJ	Ardal Safle / Site Area:	0.1654ha
Defnydd Presennol / Existing Use:	Gardd ddomestig / Domestic garden	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

(Leave blank)

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	X		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	X		
4. A yw'r safle wedi'i leoli mewn part lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae'r safle o fewn anheddiad Haen 4 ac felly bydd unrhyw gynnig ar y safle yn cael ei ystyried o dan bolisiau a nodir yn y CDLI diwygiedig / The site is within a Tier 4 settlement and therefore any site proposal will be considered under policies set out within the revised LDP.

Dryslwyn

SR/052/001 CA0109	Land adjacent Dolwen, Dryslwyn / Land adjacent Dolwen, Dryslwyn	Linc/Link
----------------------	--	-----------

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/052/001 CA0109	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Land adjacent Dolwen, Dryslwyn / Land adjacent Dolwen, Dryslwyn	Ardal Safle / Site Area:	0.19ha
Defnydd Presennol / Existing Use:	Gardd ddomestig / Domestic Garden	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeyfrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	X	ACI1 ISA1	--

Sylwadau Ychwanegol / Additional Comments

Nid yw'r safle yn cydymffurfio â darpariaethau'r Strategaeth a Ffeyfrir, gan ei fod ar wahân i'r anheddiad a byddai'n arwain at ddatblygiad mewn cefn gwlad agored / The site does not comply with the provisions of the Preferred Strategy as it is divorced from the settlement and would result in development in the open countryside.

Rhydcymerau

SR/146/001	Tir yn Dolau Canol, Rhydcymerau / Land at Dolau Canol, Rhydcymerau	Linc/Link
------------	---	-----------

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0352	Cyfeirnod y Safle / Site Reference:	SR/146/001
Cyfeiriad y Safle / Site Address:	Tir yn Dolau Canol, Rhydcymerau / Land at Dolau Canol, Rhydcymerau	Ardal Safle / Site Area:	0.35ha
Defnydd Presennol / Existing Use:	Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

(Empty box for additional comments)

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	X		
4. A yw'r safle wedi'i leoli mewn part lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae'r safle o fewn anheddiad Haen 4 ac felly bydd unrhyw gynnig ar y safle yn cael ei ystyried o dan bolisiau a nodir yn y CDLI diwygiedig / The site is within a Tier 4 settlement and therefore any site proposal will be considered under policies set out within the revised LDP

Waunystrad Meurig

SR/161/001 CA0590	Tir yn Waunystrad Meurig / Land at Waunystrad Meurig	Linc/Link
----------------------	--	-----------

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/161/001 CA0590	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Tir yn Waunystrad Meurig / Land at Waunystrad Meurig	Ardal Safle / Site Area:	0.19ha
Defnydd Presennol / Existing Use:		Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
	Amaethyddol / Agricultural	Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

(Empty box for additional comments)

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	X		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	X		
4. A yw'r safle wedi'i leoli mewn part lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	✓	ACI4 ACI5 ISA4 ISA5	-

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae'r safle o fewn anheddiad Haen 4 ac felly bydd unrhyw gynnig ar y safle yn cael ei ystyried o dan bolisiau a nodir yn y CDLI diwygiedig. Mae mwyafrif o'r safle tu fewn y part llifogydd C2 / The site is within a Tier 4 settlement and therefore any site proposal will be considered under policies set out within the revised LDP. Most of the site lies within a C2 flood risk area

Llansadwrn

SR/103/001 CA0175	Tir gyferbyn yr hen ysgol gynrradd / Land opposite former Primary School	Linc/Link
SR/103/002 CA0499	Tir ger Cwrtfaenor, Llansadwrn / Land adjacent to Cwrtfaenor, Llansadwrn	Linc/Link

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/103/001 CA0175	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Tir gyferbyn yr hen ysgol gynrradd / Land opposite former Primary School	Ardal Safle / Site Area:	0.44ha
Defnydd Presennol / Existing Use:	Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

(Empty box for additional comments)

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	X		
4. A yw'r safle wedi'i leoli mewn part lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae'r safle o fewn anheddiad Haen 4 ac felly bydd unrhyw gynnig ar y safle yn cael ei ystyried o dan bolisiau a nodir yn y CDLI diwygiedig / The site is within a Tier 4 settlement and therefore any site proposal will be considered under policies set out within the revised LDP.

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/103/002 CA0499	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Tir ger Cwrtfaenor, Llansadwrn / Land adjacent to Cwrtfaenor, Llansadwrn	Ardal Safle / Site Area:	0.75ha
Defnydd Presennol / Existing Use:	Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeyfrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

(Empty box for additional comments)

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeyfrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	X		
4. A yw'r safle wedi'i leoli mewn part lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae'r safle o fewn anheddiad Haen 4 ac felly bydd unrhyw gynnig ar y safle yn cael ei ystyried o dan bolisiau a nodir yn y CDLI diwygiedig / The site is within a Tier 4 settlement and therefore any site proposal will be considered under policies set out within the revised LDP.

Rhandirmwyn

SR/142/001 CA0008	Coleg Elidyr	Linc/Link
SR/142/002 CA0122	1.2 Km Ogledd - Gorllewin o Rhandirmwyn / 1.2 Km North West of Rhandirmwyn	Linc/Link
SR/142/003 CA0198	De Orllewin Ty Nant-y-Mwyn / South West of Nant-y-Mwyn House	Linc/Link
SR/142/004 CA0199	Tir gyferbyn Eglwys St. Barnabas' / Land opposite St. Barnabas' Church	Linc/Link
SR/142/005 CA0200	Hen Cware / Old Quarry	Linc/Link
SR/142/006 CA0282	Tir ger Ynysdawel / Land adjacent Ynysdawel	Linc/Link
SR/142/007 CA0500	Tir yn Mair Nant, Rhandirmwyn / Land at Mair Nant, Rhandirmwyn	Linc/Link
SR/142/008 CA0752	Tir rhwng Nant y Bai Mill a The Wern / Land between Nant y Bai Mill and The Wern	Linc/Link

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/142/001 CA0008	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Coleg Elidyr	Ardal Safle / Site Area:	0.47ha
Defnydd Presennol / Existing Use:		Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
	Amaethyddol / Agricultural	Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

(Empty box for additional comments)

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	X		
4. A yw'r safle wedi'i leoli mewn part lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae'r safle o fewn anheddiad Haen 4 ac felly bydd unrhyw gynnig ar y safle yn cael ei ystyried o dan bolisiau a nodir yn y CDLI diwygiedig / The site is within a Tier 4 settlement and therefore any site proposal will be considered under policies set out within the revised LDP.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/142/002 CA0122	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	1.2 Km Ogledd - Gorllewin o Rhandirmwyn / 1.2 Km North West of Rhandirmwyn	Ardal Safle / Site Area:	0.45ha
Defnydd Presennol / Existing Use:		Defnydd Arfaethedig / Proposed Use:	Arall (Ysgrifennwch isod) / Other (Please write below)
		Os arall, nodwch / If other, specify:	Twristiaeth / Tourism

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	X		
4. A yw'r safle wedi'i leoli mewn part lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Fe ystyrir cynigion am ddatblygiad Hamdden a thwristiaeth yn ôl y polisiau yn y CDLI diwygiedig / Proposals for tourism related development will be considered under policies set out within the revised LDP

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/142/003 CA0198	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	De Orllewin Ty Nant-y-Mwyn / South West of Nant-y-Mwyn House	Ardal Safle / Site Area:	0.43ha
Defnydd Presennol / Existing Use:	Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	X		
4. A yw'r safle wedi'i leoli mewn part lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae'r safle o fewn anheddiad Haen 4 ac felly bydd unrhyw gynnig ar y safle yn cael ei ystyried o dan bolisiau a nodir yn y CDLI diwygiedig / The site is within a Tier 4 settlement and therefore any site proposal will be considered under policies set out within the revised LDP.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/142/004 CA0199	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Tir gyferbyn Eglwys St. Barnabas' / Land opposite St. Barnabas' Church	Ardal Safle / Site Area:	0.285ha
Defnydd Presennol / Existing Use:	Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	X		
4. A yw'r safle wedi'i leoli mewn part lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae'r safle o fewn anheddiad Haen 4 ac felly bydd unrhyw gynnig ar y safle yn cael ei ystyried o dan bolisiau a nodir yn y CDLI diwygiedig / The site is within a Tier 4 settlement and therefore any site proposal will be considered under policies set out within the revised LDP.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/142/005 CA0200	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Hen Cware / Old Quarry	Ardal Safle / Site Area:	2.77ha
Defnydd Presennol / Existing Use:	Hen Cware / Former quarry	Defnydd Arfaethedig / Proposed Use:	Arall (Ysgrifennwch isod) / Other (Please write below)
		Os arall, nodwch / If other, specify:	Preswyl, Hamdden a Twristiaeth / Residential, Leisure & Tourism

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	X		
4. A yw'r safle wedi'i leoli mewn part lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae'r safle o fewn anheddiad Haen 4 ac felly bydd unrhyw gynnig ar y safle yn cael ei ystyried o dan bolisiau a nodir yn y CDLI diwygiedig / The site is within a Tier 4 settlement and therefore any site proposal will be considered under policies set out within the revised LDP.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/142/006 CA0282	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Tir ger Ynysdawel / Land adjacent Ynysdawel	Ardal Safle / Site Area:	0.18ha
Defnydd Presennol / Existing Use:	Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	X		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	X		
4. A yw'r safle wedi'i leoli mewn part lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae'r safle o fewn anheddiad Haen 4 ac felly bydd unrhyw gynnig ar y safle yn cael ei ystyried o dan bolisiau a nodir yn y CDLI diwygiedig / The site is within a Tier 4 settlement and therefore any site proposal will be considered under policies set out within the revised LDP.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/142/007 CA0500	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Tir yn Mair Nant, Rhandirmwyn / Land at Mair Nant, Rhandirmwyn	Ardal Safle / Site Area:	0.49ha
Defnydd Presennol / Existing Use:	Preswyl / Residential	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	X		
4. A yw'r safle wedi'i leoli mewn part lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae'r safle o fewn anheddiad Haen 4 ac felly bydd unrhyw gynnig ar y safle yn cael ei ystyried o dan bolisiau a nodir yn y CDLI diwygiedig / The site is within a Tier 4 settlement and therefore any site proposal will be considered under policies set out within the revised LDP.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/142/008 CA0752	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Tir rhwng Nant y Bai Mill a The Wern / Land between Nant y Bai Mill and The Wern	Ardal Safle / Site Area:	0.33ha
Defnydd Presennol / Existing Use:	Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeyfrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	X	ACI1 ISA1	--

Sylwadau Ychwanegol / Additional Comments

Nid yw'r safle yn cydymffurfio â darpariaethau'r Strategaeth a Ffeyfrir, gan ei fod ar wahân i'r anheddiad a byddai'n arwain at ddatblygiad mewn cefn gwlad agored / The site does not comply with the provisions of the Preferred Strategy as it is divorced from the settlement and would result in development in the open countryside