

Clwster 6 / Cluster 6

SeC18	Sanclêr a Pwll-trap / St Clears and Pwll Trapp	Linc/Link
SeC19	Hendy-gwyn ar Daf / Whitland	Linc/Link
SeC20	Talacharn / Laugharne	Linc/Link
SuV54	Llanboidy	Linc/Link
SuV55	Glandy Cross	Linc/Link
SuV56	Efailwen	Linc/Link
SuV57	Llangynin	Linc/Link
SuV58	Meidrim	Linc/Link
SuV59	Bancyfelin	Linc/Link
SuV60	Llangynog	Linc/Link
SuV61	Pentywyn / Pendine	Linc/Link
	Cwmfelin Mynach	Linc/Link
	Cwmfelin Boeth	Linc/Link
	Cross Inn	Linc/Link
	Broadway	Linc/Link
	Llanfallteg	Linc/Link

SeC18**San Clêr a Pwll Trap / St Clears & Pwll Trap**

SR/150/001	Tir 1.2Km Gorllewin i Bwll Trap/ Land 1.2Km West of Pwll Trap	Linc/Link
SR/150/002	Tir tu gefn Penupton, Heol Bethlehem, Pwll-trap / Land rear of Penupton, Bethlehem Rd. Pwll-trap	Linc/Link
SR/150/004	Ger Gelli-deg, Heol Llangynin / Adjacent Gelli-deg, Llangynin Road	Linc/Link
SR/150/005	Tir ger Gelli-Deg a gyferbyn Ivy Cottage / Land adjacent to Gelli-Deg and opposite Ivy Cottage	Linc/Link
SR/150/007	Ti ger Pen y Ffordd / Land adjacent Pen y Ffordd	Linc/Link
SR/150/008	Ardal 1, I dde o Barc Glasfryn Park / Area 1, South of Glasfryn Park, Station	Linc/Link
SR/150/009	Ardal 2, I ogledd Glasfryn Park, Station / Area 2, North of Glasfryn Park, Station	Linc/Link
SR/150/010	Ardal 3, Tir I ddwyrain Parc Glasfryn / Area 3, Land East of Glasfryn Park	Linc/Link
SR/150/011	Tir ger Fferm Dolau / Land adjoining Dolau Farm	Linc/Link
SR/150/015	Tir i'r gogledd o Maesybryn, St.Clears / Land North of Maesybryn, St.Clears	Linc/Link
SR/150/016	Tir ger Rhudd-y-Wawr / Land adj. Rhudd-y-Wawr	Linc/Link
SR/150/017	Tir ar Heol Llaindelyn, St. Clears / Land at Heol Llaindelyn, St. Clears	Linc/Link
SR/150/019	Tir ar Heol yr Orsaf / Land at Station Road	Linc/Link
SR/150/020	Tir gyferbyn Llandre, Eglwys Newydd / Land opposite Llandre, New Church	Linc/Link
SR/150/021	Tir ar hyd B4299, San Cler / Land along B4299, St. Clears	Linc/Link
SR/150/025	Tir yn Pwll Trap, San Cler / Land at Pwll Trap, St Clears	Linc/Link
SR/150/027	Ger Britannia Terrace, San Cler (Ardal A) / Adjacent Britannia Terrace, St. Clears (Area A)	Linc/Link
SR/150/028	Ardal A - Tir i'r gogledd o Heol y Pentre / Site A - Land North of Pentre Road	Linc/Link
SR/150/029	Safle B– Tir i'r dde dwyrain o Rhyd-Y-Gors / Site B – Land South West of Rhyd-Y-Gors	Linc/Link

SR/150/030	Safle D - Ti l'r dde o Heol y Pentre, San Cler / Site D - Land South of Pentre Road, St Clears	Linc/Link
SR/150/031	Tir i'r gogledd ac i'r dde o'r rheilffordd, Heol yr Orsaf a Bryn Orsaf / Land North & South of the railway line at Station Rd and Station Hill	Linc/Link
SR/150/032	Safle C Tir i orllewin Rhyd-Y-Gors & gogledd i Heol y Pentre / Site C Land West of Rhyd-Y-Gors & North of Pentre Rd	Linc/Link
SR/150/034	Cartrefle, Heol Salem / Cartrefle, Salem Road	Linc/Link
SR/150/037	Tir i ffrynt Ostrey Hill, Pwlltrap / Land Fronting Ostrey Hill, Pwlltrap	Linc/Link
SR/150/038	Tir ar hyd yr A40 rhwng San Cler a Bancyfelin / Land alongside the A40 between St Clears and Bancyfelin	Linc/Link

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0025 / SR/150/001	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Tir 1.2Km Gorllewin i Bwll Trap / Land 1.2Km West of Pwll Trap	Ardal Safle / Site Area:	0.594
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural Land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	X	ACI1ISA1	--

Sylwadau Ychwanegol / Additional Comments

Nid yw'r safle yn cydymffurfio â darpariaethau'r Strategaeth a Ffefrir, gan ei fod ar wahân i'r anheddiad a byddai'n arwain at ddatblygiad mewn cefn gwlad agored. The site does not comply with the provisions of the Preferred Strategy as it is divorced from the settlement and would result in development in the open countryside.
--

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0074 / SR/150/002	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Tir tu gefn Penupton, Heol Bethlehem, Pwll-trap / Land rear of Penupton, Bethlehem Rd. Pwll-trap	Ardal Safle / Site Area:	0.3386
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural Land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnewys â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1ISA1	+

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	X		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Ni all y safle gynnwys 5 annedd neu mwy. Fe fydd y terfynau datblygu yn cael ei ddiwygio / newid. er mwyn galluogi'r potensial am ddatblygiad ar raddfa fach.

The site cannot accommodate 5 or more dwellings. The development limits will be amended to allow the potential for small scale development.

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0086 / SR/150/004	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Ger Gelli-deg, Heol Llangynin / Adjacent Gelli-deg, Llangynin Road	Ardal Safle / Site Area:	0.9455
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural Land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydawns â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
Sylwadau Ychwanegol / Additional Comments			
Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b			
Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	✓	ACI8 ACI9 ISA8 ISA9	-
9. A fydd y cynnig yn cynnwys aildddefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-
Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments			
Hygyrchedd / Accessibility			
10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+

14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(b) Darpariaeth fanwerthu / Retail provision	✓		+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Seilwaith a Chyfleustodau / Infrastructure and Utilities			
24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		
Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments			
Y Gymraeg / Welsh Language			
27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments			
Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		
Sylwadau Ychwanegol / Additional Comments			
Mae'r safle wedi'i wahanu oddi wrth aneddiad San Clêr, ac felly byddai'n arwain at ddatblygu gwasgaredig mewn cefn gwlad agored.			
The site is located away from the settlement of St Clears, and this would lead to sporadic development in the open countryside.			

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0132 / SR/150/005	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Tir ger Gelli-Deg a gyferbyn Ivy Cottage / Land adjacent to Gelli-Deg and opposite Ivy Cottage	Ardal Safle / Site Area:	0.2505
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural Land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnavs â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	X		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
Sylwadau Ychwanegol / Additional Comments			
Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b			
Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	✓		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	✓	ACI8 ACI9 ISA8 ISA9	-
9. A fydd y cynnig yn cynnwys aildddefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-
Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments			
Hygyrchedd / Accessibility			
10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+

14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(b) Darpariaeth fanwerthu / Retail provision	✓		+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygrychedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCAs - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

--

Seilwaith a Chyfleustodau / Infrastructure and Utilities			
24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		
Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments			
Y Gymraeg / Welsh Language			
27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments			
Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		
Sylwadau Ychwanegol / Additional Comments			
Mae'r safle wedi'i wahanu oddi wrth aneddiad San Clêr, ac felly byddai'n arwain at ddatblygu gwasgaredig mewn cefn gwlad agored.			
The site is located away from the settlement of St Clears, and this would lead to sporadic development in the open countryside.			

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0165 / SR/150/007	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Ti ger Pen y Ffordd / Land adjacent Pen y Ffordd	Ardal Safle / Site Area:	2.942
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural Land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydawns â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
Sylwadau Ychwanegol / Additional Comments			
Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b			
Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildddefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-
Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments			
Hygyrchedd / Accessibility			
10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+

14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(b) Darpariaeth fanwerthu / Retail provision	✓		+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

--

Seilwaith a Chyfleustodau / Infrastructure and Utilities			
24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosfad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		
Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments			
Y Gymraeg / Welsh Language			
27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments			
Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		
Sylwadau Ychwanegol / Additional Comments			
Nid oes gan y cynnig mynediad priodol i'r safle. Mae digon o dir mwy addas ar gael o fewn yr anheddiad i ddarparu ar gyfer twf newydd. The proposal does not indicate a suitable access to the site. There is sufficient and more suitable land available land for development within the settlement to accommodate new growth.			

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0191 / SR/150/008	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Ardal 1, l dde o Barc Glasfryn Park / Area 1, South of Glasfryn Park, Station	Ardal Safle / Site Area:	5.165
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural Land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnavs â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+																																												
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+																																												
Sylwadau Ychwanegol / Additional Comments																																															
Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment <table border="1"> <thead> <tr> <th>Ystyriaeth / Consideration</th> <th>Ie, Yes, Na, No</th> <th>Amcanion cysylltiedig / Related objectives</th> <th>Sgôr ACI / ISA score +/-</th> </tr> </thead> <tbody> <tr> <td colspan="4">Cyffredinol / General</td> </tr> <tr> <td>7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?</td> <td>✓</td> <td></td> <td></td> </tr> <tr> <td>8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?</td> <td>✓</td> <td>ACI8 ACI9 ISA8 ISA9</td> <td>-</td> </tr> <tr> <td>9. A fydd y cynnig yn cynnwys aildddefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?</td> <td>X</td> <td>ACI7 ACI9 ISA7 ISA9</td> <td>-</td> </tr> <tr> <td colspan="4">Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments</td> </tr> <tr> <td colspan="4">Hygyrchedd / Accessibility</td> </tr> <tr> <td>10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?</td> <td>✓</td> <td></td> <td></td> </tr> <tr> <td>11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?</td> <td>✓</td> <td></td> <td></td> </tr> <tr> <td>12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?</td> <td>X</td> <td></td> <td></td> </tr> <tr> <td>13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?</td> <td>✓</td> <td>ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15</td> <td>+</td> </tr> </tbody> </table>				Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-	Cyffredinol / General				7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	✓			8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	✓	ACI8 ACI9 ISA8 ISA9	-	9. A fydd y cynnig yn cynnwys aildddefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-	Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments				Hygyrchedd / Accessibility				10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓			11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓			12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X			13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-																																												
Cyffredinol / General																																															
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	✓																																														
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	✓	ACI8 ACI9 ISA8 ISA9	-																																												
9. A fydd y cynnig yn cynnwys aildddefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-																																												
Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments																																															
Hygyrchedd / Accessibility																																															
10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓																																														
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓																																														
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X																																														
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+																																												

14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(b) Darpariaeth fanwerthu / Retail provision	✓		+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Seilwaith a Chyfleustodau / Infrastructure and Utilities			
24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		
Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments			
Y Gymraeg / Welsh Language			
27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments			
Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		
Sylwadau Ychwanegol / Additional Comments			
Mae rhan o'r safle dal i fod y tu fewn i'r terfynau datblygu. Byddai datblygu'r safle'n cael effaith niweidiol ar gymeriad yr ardal yn y lleoliad yma. Mae digon o dir mwy addas ar gael o fewn yr anheddiad i ddarparu ar gyfer twf newydd. Part of the site is still within development limits. The development of this site would have an adverse impact on the character of the area at this location. There is sufficient and more suitable land available within the settlement to accommodate new growth.			

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0192 / SR/150/009	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Ardal 2, I ogledd Glasfryn Park, Station / Area 2, North of Glasfryn Park, Station	Ardal Safle / Site Area:	1.249
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural Land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnavs â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+																																												
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+																																												
Sylwadau Ychwanegol / Additional Comments																																															
Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment <table border="1"> <thead> <tr> <th>Ystyriaeth / Consideration</th> <th>Ie, Yes, Na, No</th> <th>Amcanion cysylltiedig / Related objectives</th> <th>Sgôr ACI / ISA score +/-</th> </tr> </thead> <tbody> <tr> <td colspan="4">Cyffredinol / General</td> </tr> <tr> <td>7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?</td> <td>✓</td> <td></td> <td></td> </tr> <tr> <td>8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?</td> <td>✓</td> <td>ACI8 ACI9 ISA8 ISA9</td> <td>-</td> </tr> <tr> <td>9. A fydd y cynnig yn cynnwys aildddefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?</td> <td>X</td> <td>ACI7 ACI9 ISA7 ISA9</td> <td>-</td> </tr> <tr> <td colspan="4">Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments</td> </tr> <tr> <td colspan="4">Hygyrchedd / Accessibility</td> </tr> <tr> <td>10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?</td> <td>✓</td> <td></td> <td></td> </tr> <tr> <td>11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?</td> <td>✓</td> <td></td> <td></td> </tr> <tr> <td>12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?</td> <td>X</td> <td></td> <td></td> </tr> <tr> <td>13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?</td> <td>✓</td> <td>ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15</td> <td>+</td> </tr> </tbody> </table>				Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-	Cyffredinol / General				7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	✓			8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	✓	ACI8 ACI9 ISA8 ISA9	-	9. A fydd y cynnig yn cynnwys aildddefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-	Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments				Hygyrchedd / Accessibility				10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓			11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓			12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X			13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-																																												
Cyffredinol / General																																															
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	✓																																														
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	✓	ACI8 ACI9 ISA8 ISA9	-																																												
9. A fydd y cynnig yn cynnwys aildddefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-																																												
Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments																																															
Hygyrchedd / Accessibility																																															
10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓																																														
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓																																														
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X																																														
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+																																												

14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(b) Darpariaeth fanwerthu / Retail provision	✓		+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygrychedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

--

Seilwaith a Chyfleustodau / Infrastructure and Utilities			
24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		
Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments			
Y Gymraeg / Welsh Language			
27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments			
Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		
Sylwadau Ychwanegol / Additional Comments			
Byddai datblygu'r safle'n cael effaith niweidiol ar gymeriad yr ardal yn y lleoliad yma. Mae digon o dir mwy addas ar gael o fewn yr anheddiad i ddarparu ar gyfer twf newydd.			
The development of this site would have an adverse impact on the character of the area at this location. There is sufficient and more suitable land available within the settlement to accommodate new growth.			

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0193 / SR/150/010	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Ardal 3, Tir I ddwyrain Parc Glasfryn / Area 3, Land East of Glasfryn Park	Ardal Safle / Site Area:	1.98
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural Land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnewn â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+

6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
Sylwadau Ychwanegol / Additional Comments			
Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b			
Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	✓		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	✓	ACI8 ACI9 ISA8 ISA9	-
9. A fydd y cynnig yn cynnwys aildddefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-
Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments			
Hygyrchedd / Accessibility			
10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+

15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(b) Darpariaeth fanwerthu / Retail provision	✓		+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
--	---	--	--

25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		
Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments			
Y Gymraeg / Welsh Language			
27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments			
Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		
Sylwadau Ychwanegol / Additional Comments			
Byddai datblygu'r safle'n cael effaith niweidiol ar gymeriad yr ardal yn y lleoliad yma. Mae digon o dir mwy addas ar gael o fewn yr anheddiad i ddarparu ar gyfer twf newydd.			
The development of this site would have an adverse impact on the character of the area at this location. There is sufficient and more suitable land available within the settlement to accommodate new growth			

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0227 / SR/150/011	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Tir ger Fferm Dolau / Land adjoining Dolau Farm	Ardal Safle / Site Area:	2.83
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural Land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnavs â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1ISA1	+

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	✓	ACI4 ACI5ISA4 ISA5	-

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae rhan fwyaf o'r safle o fewn risg llifogydd C1 ac C2. Fyddai hefyd yn arwain at ddatblygiad hirgul pellach i mewn i gefn gwlad.

The majority of the site is within C1 and C2 flood risk. It would also lead to further ribbon development into the countryside.

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0223 / SR/150/015	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Tir i'r gogledd o Maesybryn, St.Clears / Land North of Maesybryn, St.Clears	Ardal Safle / Site Area:	1.957
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural Land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnavs â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment
--

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
Sylwadau Ychwanegol / Additional Comments			
Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b			
Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildddefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-
Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments			
Hygyrchedd / Accessibility			
10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+

14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	X	ACI12 ACI15 ISA12 ISA15	-
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(b) Darpariaeth fanwerthu / Retail provision	✓		+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Seilwaith a Chyfleustodau / Infrastructure and Utilities			
24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		
Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments			
Y Gymraeg / Welsh Language			
27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments			
Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		
Sylwadau Ychwanegol / Additional Comments			
Roedd y safle yn ddyraniad yn y Cynllun Datblygu Unedol, ac ni chafodd ei gyflwyno erioed, o ganlyniad mae pryder am gyflwyno'r safle.			
The site was an allocation in the UDP, and was never brought forward, as a result there is concern about the site's delivery.			

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0224 / SR/150/016	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Tir ger Rhudd-y-Wawr / Land adj. Rhudd-y-Wawr	Ardal Safle / Site Area:	0.6169
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural Land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+

6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
Sylwadau Ychwanegol / Additional Comments			
Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b			
Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	✓		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	✓	ACI8 ACI9 ISA8 ISA9	-
9. A fydd y cynnig yn cynnwys aildddefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-
Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments			
Hygyrchedd / Accessibility			
10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	X	ACI12 ACI15 ISA12 ISA15	-

15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(b) Darpariaeth fanwerthu / Retail provision	✓		+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

--

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
--	---	--	--

25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		
Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments			
Y Gymraeg / Welsh Language			
27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments			
Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		
Sylwadau Ychwanegol / Additional Comments			
Byddai'r datblygiad yn arwain at estyniad hirgul annerbyniol i derfynau'r anheddiad gan gael effaith niweidiol ar gymeriad yr ardal.			
The development would result in an inappropriate ribbon extension of the settlement limits to the detriment of the character of the area.			

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0238 / SR/150/017	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Tir ar Heol Llainedlyn, St. Clears / Land at Heol Llainedlyn, St. Clears	Ardal Safle / Site Area:	1.543
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agrultural Land	Defnydd Arfaethedig / Proposed Use:	Cyflogaeth / Employment
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	Dim yn berthnasol / Not applicable		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+

6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
--	---	--------------	---

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
----------------------------	-----------------	--	--------------------------

Cyffredinol / General

7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildddefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A yw'r safle o fewn pellter rhesymol i ardaloedd o boblogaeth a Thai? / Q14 Is the site within a reasonable distance to areas of population and housing?	✓	ACI12 ACI15 ISA12 ISA15	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued			
Ystyriaethau Amgylcheddol / Environmental Considerations			
17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+
Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments			
Seilwaith a Chyfleustodau / Infrastructure and Utilities			
24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		
Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments			
Y Gymraeg / Welsh Language			

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

--

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
----------------------------	-----------------	--	----------------------

Hyfywedd ac Ymarferoldeb / Viability and Deliverability

28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw ? / Has the applicant provided sufficient evidence to show the development is deliverable ?	X		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	X		

Sylwadau Ychwanegol / Additional Comments

Mae'r safle hwn wedi'i ddyrannu ar gyfer datblygiad preswyl. Felly, ni fydd datblygiad sy'n gysylltiedig â chyflogaeth yn bosibl.

This site has been allocated for residential development. Therefore, employment related development will not be possible.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0242 / SR/150/019	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Tir ar Heol yr Orsaf / Land at Station Road	Ardal Safle / Site Area:	2.369
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agrultural Land	Defnydd Arfaethedig / Proposed Use:	Cyflogaeth / Employment
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

[illegible]

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	Dim yn berthnasol / Not applicable		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+

6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
--	---	--------------	---

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildddefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A yw'r safle o fewn pellter rhesymol i ardaloedd o boblogaeth a Thai? / Q14 Is the site within a reasonable distance to areas of population and housing?	✓	ACI12 ACI15 ISA12 ISA15	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued			
Ystyriaethau Amgylcheddol / Environmental Considerations			
17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	✓	ACI7 ISA7	-
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+
Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments			
Seilwaith a Chyfleustodau / Infrastructure and Utilities			
24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		
Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments			
Y Gymraeg / Welsh Language			

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw ? / Has the applicant provided sufficient evidence to show the development is deliverable ?	X		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	X		

Sylwadau Ychwanegol / Additional Comments

Nid yw'r mynediad i'r safle yn ddigonol ac nid yw'r defnydd arfaethedig yn ffafriol i ddefnyddiau tir cyfagos.

The access to the site isn't sufficient and the proposed use is not conducive to adjacent land uses.

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0245 / SR/150/020	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Tir gyferbyn Llandre, Eglwys Newydd / Land opposite Llandre, New Church	Ardal Safle / Site Area:	0.163
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural Land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydawns â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	X	ACI1ISA1	--

Sylwadau Ychwanegol / Additional Comments

Nid yw'r safle yn cydymffurfio â darpariaethau'r Strategaeth a Ffefrir, gan ei fod ar wahân i'r anheddiad a byddai'n arwain at ddatblygiad mewn cefn gwlad agored.

The site does not comply with the provisions of the Preferred Strategy as it is divorced from the settlement and would result in development in the open countryside.

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0306 / SR/150/021	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Tir ar hyd B4299, San Cler / Land along B4299, St. Clears	Ardal Safle / Site Area:	3.442
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural Land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+

6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
Sylwadau Ychwanegol / Additional Comments			
Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b			
Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	✓		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	✓	ACI8 ACI9 ISA8 ISA9	-
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-
Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments			
Hygyrchedd / Accessibility			
10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	X	ACI12 ACI15 ISA12 ISA15	-
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			

(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(b) Darpariaeth fanwerthu / Retail provision	✓		+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
--	---	--	--

25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		
Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments			
Y Gymraeg / Welsh Language			
27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments			
Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		
Sylwadau Ychwanegol / Additional Comments			
Byddai'r datblygiad yn arwain at estyniad hirgul annerbyniol i derfynau'r anheddiad gan gael effaith niweidiol ar gymeriad yr ardal.			
The development would result in an inappropriate ribbon extension of the settlement limits to the detriment of the character of the area.			

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0380 / SR/150/025	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Tir yn Pwll Trap, San Cler / Land at Pwll Trap, St Clears	Ardal Safle / Site Area:	2.442
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural Land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+

6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
Sylwadau Ychwanegol / Additional Comments			
Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b			
Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	✓		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	✓	ACI8 ACI9 ISA8 ISA9	-
9. A fydd y cynnig yn cynnwys aildddefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-
Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments			
Hygyrchedd / Accessibility			
10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	X	ACI12 ACI15 ISA12 ISA15	-
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			

(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(b) Darpariaeth fanwerthu / Retail provision	✓		+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+
Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments			
Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued			
Ystyriaethau Amgylcheddol / Environmental Considerations			
17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+
Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments			
Seilwaith a Chyfleustodau / Infrastructure and Utilities			
24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		

25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		
Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments			
Y Gymraeg / Welsh Language			
27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments			
Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		
Sylwadau Ychwanegol / Additional Comments			
Byddai datblygu'r safle'n cael effaith niweidiol ar gymeriad yr ardal yn y lleoliad yma. Mae digon o dir mwy addas ar gael o fewn yr anheddiad i ddarparu ar gyfer twf newydd.			
The development of this site would have an adverse impact on the character of the area at this location. There is sufficient and more suitable land available within the settlement to accommodate new growth.			

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0401 / SR/150/027	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Ger Britannia Terrace, San Cler (Ardal A) / Adjacent Britannia Terrace, St. Clears (Area A)	Ardal Safle / Site Area:	2.589
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural Land	Defnydd Arfaethedig / Proposed Use:	Defnydd Cymysg / Mixed Use
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	X		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+

6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
--	---	--------------	---

Sylwadau Ychwanegol / Additional Comments

Safle i'w adael y tu allan i'r terfynau datblygu. Fe fydd unrhyw cynnig sydd ddim yn breswyl yn cael ei ystyried yn erbyn polisiau'r CDLI Diwygiedig.

Site to remain outside the development limits. Any non-residential proposal will be considered against policies in the revised LDP.

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0475 / SR/150/028	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Ardal A - Tir i'r gogledd o Heol y Pentre / Site A - Land North of Pentre Road	Ardal Safle / Site Area:	1.557
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural Land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	✓	ACI4 ACI5 ISA4 ISA5	-
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+

6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
Sylwadau Ychwanegol / Additional Comments			
Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b			
Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildddefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-
Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments			
Hygyrchedd / Accessibility			
10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			

(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(b) Darpariaeth fanwerthu / Retail provision	✓		+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+
Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments			
Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued			
Ystyriaethau Amgylcheddol / Environmental Considerations			
17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	✓	ACI7 ISA7	-
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+
Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments			
Seilwaith a Chyfleustodau / Infrastructure and Utilities			
24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		

25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		
Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments			
Y Gymraeg / Welsh Language			
27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments			
Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		
Sylwadau Ychwanegol / Additional Comments			
Nid oes gan y safle mynediad priodol ar Heol Pentre. Mae digon o dir mwy addas ar gael o fewn yr anheddiad i ddarparu ar gyfer twf newydd. The site does not have a suitable access point at Pentre Road. There is sufficient and more suitable land available within the settlement to accommodate new growth.			

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA/0476 /SR/150/029	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Safle B– Tir l'r dde dwyrain o Rhyd-Y-Gors / Site B – Land South West of Rhyd-Y-Gors	Ardal Safle / Site Area:	2.729
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural Land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+

6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
Sylwadau Ychwanegol / Additional Comments			
Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b			
Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	✓		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	✓	ACI8 ACI9 ISA8 ISA9	-
9. A fydd y cynnig yn cynnwys aildddefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-
Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments			
Hygyrchedd / Accessibility			
10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			

(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(b) Darpariaeth fanwerthu / Retail provision	✓		+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+
Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments			
Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued			
Ystyriaethau Amgylcheddol / Environmental Considerations			
17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	✓	ACI7 ISA7	-
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+
Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments			
Seilwaith a Chyfleustodau / Infrastructure and Utilities			
24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		

25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosfad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		
Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments			
Y Gymraeg / Welsh Language			
27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments			
Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		
Sylwadau Ychwanegol / Additional Comments			
Fe fyddai mynediad y safle yn cael effaith andwyol ar amwynder anheddau cyfagos. Mae digon o dir mwy addas ar gael o fewn yr anheddiad i ddarparu ar gyfer twf newydd. The site's access would adversely impact the amenity of surrounding dwellings. There is sufficient and more suitable land available within the settlement to accommodate new growth.			

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0477 / SR/150/030	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Safle D - Ti l'r dde o Heol y Pentre, San Cler / Site D - Land South of Pentre Road, St Clears	Ardal Safle / Site Area:	1.258
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural Land	Defnydd Arfaethedig / Proposed Use:	Defnydd Cymysg / Mixed Use
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	✓	ACI4 ACI5 ISA4 ISA5	-
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+

6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
--	---	--------------	---

Sylwadau Ychwanegol / Additional Comments

Safle i'w adael y tu allan i'r terfynau datblygu. Nid oes unrhyw sicrwydd clir gall y safle gael ei ddatblygu oherwydd ei gyfyngiadau.

Site is to be retained outside of development limits. There is no clear certainty that the site could be developed given its constraints.

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0478 / SR/150/031	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Tir i'r gogledd ac i'r dde o'r rheilffordd, Heol yr Orsaf a Bryn Orsaf / Land North & South of the railway line at Station Rd and Station Hill	Ardal Safle / Site Area:	1.41
Defnydd Presennol / Existing Use:	Defnydd Cymysg / Mixed Use	Defnydd Arfaethedig / Proposed Use:	Arall (Ysgrifennwch isod) / Other (Please write below)
		Os arall, nodwch / If other, specify:	Gorsaf Trên

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	X		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+

6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
--	---	--------------	---

Sylwadau Ychwanegol / Additional Comments

Mae'r safle wedi ei leoli yn gyfagos i derfynau datblygu'r anheddiad, beth bynnag fe fydd y defnydd a gynigir yn cael ei ystyried yn erbyn y polisiau sydd wedi ei chynnwys y CDLI Diwygiedig.

The site is located adjacent to the development limits of the settlement, however the use proposed will be considered against policies set out within the revised LDP.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0479 / SR/150/032	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Safle C Tir i orllewin Rhyd-Y-Gors & gogledd i Heol y Pentre / Site C Land West of Rhyd-Y-Gors & North of Pentre Rd	Ardal Safle / Site Area:	9.9999
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural Land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	✓		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	✓	ACI8 ACI9 ISA8 ISA9	-
9. A fydd y cynnig yn cynnwys aildddefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+

14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(b) Darpariaeth fanwerthu / Retail provision	✓		+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	✓	ACI7 ISA7	-
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

--

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosfad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Byddai graddfa'r cynnig yn amhriodol am San Clêr, ac nid oes pwynt mynediad clir ac union i'r safle. Mae digon o dir mwy addas ar gael o fewn yr anheddiad i ddarparu ar gyfer twf newydd.

The scale of the proposal would be inappropriate for St Clears, with no clear direct access point to the site. There is sufficient and more suitable land available within the settlement to accommodate new growth.

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0677 / SR/150/034	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Cartrefle, Heol Salem / Cartrefle, Salem Road	Ardal Safle / Site Area:	0.0633
Defnydd Presennol / Existing Use:	Adeiladau allanol, nid mewn defnydd / Outbuilding not in Use	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment
--

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	X		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Ni all y safle gynnwys 5 annedd neu fwy, beth bynnag, fe fydd yn cael ei gynnwys o fewn y terfynau datblygu.

The site cannot accommodate 5 or more dwellings, however, it will be included within the development limits.

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0772 / SR/150/037	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Tir i ffrynt Ostrey Hill, Pwlltrap / Land Fronting Ostrey Hill, Pwlltrap	Ardal Safle / Site Area:	0.2396
Defnydd Presennol / Existing Use:	Tir Gwag / Vacant	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

--

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	X		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+

6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
--	---	--------------	---

Sylwadau Ychwanegol / Additional Comments

Ni all y safle gynnwys 5 annedd neu mwy. Fe fydd y terfynau datblygu yn aros yr un peth er mwyn galluogi'r potensial am ddatblygiad ar raddfa fach.

The site cannot accommodate 5 or more dwellings. The development limits will remain the same to allow the potential for small scale development.

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0313 / SR/150/038	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Tir ar hyd yr A40 rhwng San Cler a Bancyfelin / Land alongside the A40 between St Clears and Bancyfelin	Ardal Safle / Site Area:	2.203
Defnydd Presennol / Existing Use:	Arall / Other	Defnydd Arfaethedig / Proposed Use:	Ardaloedd Agored neu Hamddenol / Open Space or Recreational
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	X		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+

6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
Sylwadau Ychwanegol / Additional Comments			
Fe fydd y defnydd arfaethedig yn destun i ystyriaethau penodol o fewn polisiau'r CDLI. The proposed use will be subject to specific considerations within the policies of the LDP.			

SeC19 Whitland

SR/163/001	Tir ger Brynmelin / Land at Brynmelin	Linc/Link
SR/163/002	Tir gyferbyn Llwyn Brain Farm, Tavernspite / Land opposite Llwyn Brain Farm, Tavernspite	Linc/Link
SR/163/003	Tir ger Westgate, Stryd Westgate / Land adjacent Westgate, Westgate Street	Linc/Link
SR/163/004	Tir tu ol Stryd y Farchnad Market Street / Land to the rear of Market Street	Linc/Link
SR/163/006, T2-6-h3	Lôn Hywel	Linc/Link
SR/163/007	Safle A -Tir ger Hufenfa Hendy Gwyn ar Daf / Site A - Land adjacent to Whitland Creamery	Linc/Link
SR/163/011	Tir ar West Street, Hendy-gwyn ar Daf / Land at West Street, Whitland	Linc/Link

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0005 / SR/163/001	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Tir ger Brynmelin / Land at Brynmelin	Ardal Safle / Site Area:	4.552
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural Land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment
--

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+

6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
Sylwadau Ychwanegol / Additional Comments			
Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b			
Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	✓	ACI8 ACI9 ISA8 ISA9	-
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-
Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments			
Hygyrchedd / Accessibility			
10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			

(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(b) Darpariaeth fanwerthu / Retail provision	✓		+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

--

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
--	---	--	--

25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		
Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments			
Y Gymraeg / Welsh Language			
27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments			
Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		
Sylwadau Ychwanegol / Additional Comments			
Byddai graddfa'r datblygiad arfaethedig yn niweidiol i gymeriad yr ardal, yn ychwanegol â materion posibl yn ymwneud â chyflawni safle o'r raddfa hon yn Hendy-gwyn ar Daf. Mae digon o dir mwy addas ar gael o fewn yr anheddiad i ddarparu ar gyfer twf newydd.			
The scale of the proposed development would be detriment to the character of the area, in addition to potential issues surrounding the deliverability of a site of this scale within Whitland. There is sufficient and more suitable land available within the settlement to accommodate new growth.			

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0065 / SR/163/002	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Tir gyferbyn Llwyn Brain Farm, Tavernspite / Land opposite Llwyn Brain Farm, Tavernspite	Ardal Safle / Site Area:	0.2741
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural Land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	X	ACI1ISA1	--

Sylwadau Ychwanegol / Additional Comments

Nid yw'r safle yn cydymffurfio â darpariaethau'r Strategaeth a Ffefrir, gan ei fod ar wahân i'r anheddiad a byddai'n arwain at ddatblygiad mewn cefn gwlad agored. The site does not comply with the provisions of the Preferred Strategy as it is divorced from the settlement and would result in development in the open countryside.

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0068 / SR/163/003	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Tir ger Westgate, Stryd Westgate / Land adjacent Wesgate, Westgate Street	Ardal Safle / Site Area:	0.2043
Defnydd Presennol / Existing Use:	Tir Gwag / Vacant Land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

--

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	✓	ACI4 ACI5 ISA4 ISA5	-
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+

6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
--	---	--------------	---

Sylwadau Ychwanegol / Additional Comments

Mae rhan o'r safle wedi'i lleoli mewn parth llifogydd C1, ond fe fydd yn cael ei gynnwys o fewn terfynau datblygu o achos ei leoliad canolig yn y dref.

The site is partly located within a C1 flood risk zone, however it will be included within development limits owing to its central location in the town.

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0129 / SR/163/004	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Tir tu ol Stryd y Farchnad Market Street / Land to the rear of Market Street	Ardal Safle / Site Area:	0.0496
Defnydd Presennol / Existing Use:	Adeiladau Anarferedig / Disused Buildings	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffêfir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	X		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffêfir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	✓	ACI4 ACI5 ISA4 ISA5	-
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+

6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
--	---	--------------	---

Sylwadau Ychwanegol / Additional Comments

Ni all y safle gynnwys 5 annedd neu fwy, beth bynnag, fe fydd yn cael ei gynnwys o fewn y terfynau datblygu.

The site cannot accommodate 5 or more dwellings, however, it will be included within the development limits.

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/163/006 / CA0447	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Lôn Hywel	Ardal Safle / Site Area:	1.8
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural Land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	W/00376, W/07009, W/16385

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments			
Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b			
Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-
Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments			
Hygyrchedd / Accessibility			
10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(b) Darpariaeth fanwerthu / Retail provision	✓		+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+

16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13	ISA13	+
---	---	-------	-------	---

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Y Gymraeg / Welsh Language			
27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments			
Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		
Sylwadau Ychwanegol / Additional Comments			
Mae'r safle wedi cael ei ddyrannu mewn nifer o gynlluniau datblygu ond nid oes arwydd o'i gyflawni. Ni fydd yn cael ei gadw fel dyraniad yn y CDLI diwygiedig.			
The site has been allocated within a number of development plans without an indication of deliverability. Site to be de-allocated from the revised LDP.			

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0446 / SR/163/007	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Safle A -Tir ger Hufenfa Hendy Gwyn ar Daf / Site A - Land adjacent to Whitland Creamery	Ardal Safle / Site Area:	1.718
Defnydd Presennol / Existing Use:	Rhan anarferedig, rhan Cyflogaeth / Part disused, part Employment	Defnydd Arfaethedig / Proposed Use:	Defnydd Cymysg / Mixed Use
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	✓	ACI4 ACI5 ISA4 ISA5	-
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+

6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
Sylwadau Ychwanegol / Additional Comments			
Safle wedi'i lleoli mewn parth llifogydd C1 a ni fydd yn cael ei ddyrannu am ddefnydd cymysg. Fe fydd unrhyw gynigion yn cael ei ystyried yn erbyn polisiau sydd o fewn y CDLI Diwygiedig.			
Site is located within a C1 flood risk area and will not be allocated for mixed use. Any proposals will be considered against policies set out within the revised LDP.			

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	CA0867 / SR/163/011	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Tir ar West Street, Hendy-gwyn ar Daf / Land at West Street, Whitland	Ardal Safle / Site Area:	0.4569
Defnydd Presennol / Existing Use:	Maes Gwag / Vacant Land	Defnydd Arfaethedig / Proposed Use:	Cyflogaeth / Employment
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	Dim yn berthnasol / Not applicable		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	✓	ACI4 ACI5 ISA4 ISA5	-
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+

6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
--	---	--------------	---

Sylwadau Ychwanegol / Additional Comments

Mae rhan o'r safle wedi'i lleoli mewn parth llifogydd C1, ond fe fydd yn cael ei gynnwys o fewn terfynau datblygu o achos ei leoliad canolig yn y dref.

The site is partly located within a C1 flood risk zone, however it will be included within development limits is changed owing to its central location in the town.

SeC20 Laugharne

SR/075/001	Land adjacent to York Lodge, Hills Road	Linc/Link
SR/075/003	Church Street, Laugharne	Linc/Link
SR/075/004	Land adj St Martin's Wood, Laugharne	Linc/Link
SR/075/007	Land to the rear of Bay View, Victoria Street	Linc/Link

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0131 / SR/075/001	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Land adjacent to York Lodge, Hills Road	Ardal Safle / Site Area:	0.2529
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural Land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment
--

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	X		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+

6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
--	---	--------------	---

Sylwadau Ychwanegol / Additional Comments

Bydd y terfynau datblygu'n cael eu diwygio ar ran o'r safle i ganitáu'r potensial am ddatblygiad ar raddfa fach.

The development limits will be amended on part of the site to allow the potential for small scale development.

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0339 / SR/075/003	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Church Street, Laugharne	Ardal Safle / Site Area:	0.6214
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural Land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

--

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	✓	ACI4 ACI5 ISA4 ISA5	-
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+

6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
Sylwadau Ychwanegol / Additional Comments			
Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b			
Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	✓		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	✓	ACI8 ACI9 ISA8 ISA9	-
9. A fydd y cynnig yn cynnwys aildddefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-
Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments			
Hygyrchedd / Accessibility			
10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafndiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+

(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Byddai'r datblygiad yn arwain at estyniad afresymegol i'r ffurf anheddiad.

Development would lead to an unacceptable extension to the settlement.

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0523 / SR/075/004	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Land adj St Martin's Wood, Laugharne	Ardal Safle / Site Area:	1.911
Defnydd Presennol / Existing Use:	Tir Glas Amaethyddol / Agricultural Grassland	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

--

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	X		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+

6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
--	---	--------------	---

Sylwadau Ychwanegol / Additional Comments

Bydd y defnydd a gynigir yn cael ei ystyried yn erbyn y polisiau a nodir yn y CDLI diwygiedig.

The use proposed will be considered against policies set out within the revised LDP.

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0856 / SR/075/007	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Land to the rear of Bay View, Victoria Street	Ardal Safle / Site Area:	0.3151
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural Land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

--

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+

6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
--	---	--------------	---

Sylwadau Ychwanegol / Additional Comments

Caiff y terfynau datblygu eu diwygio i ganiatáu'r posibilrwydd o ddatblygu ar raddfa fach.

The development limits will be amended on part of the site to allow the potential for small scale development.

SuV54 Llanboidy

SR/077/001	Land opposite The Bush, Llanboidy	Linc/Link
SR/077/002	Land rear of Gosen, Llanboidy	Linc/Link
SR/077/003	Land adjacent to The Bush, Llanboidy	Linc/Link
SR/077/004	Land at Llanboidy	Linc/Link
SR/077/005	Land adjacent Talardeg, Llanboidy	Linc/Link

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0151 / SR/077/001	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Land opposite The Bush, Llanboidy	Ardal Safle / Site Area:	0.0866
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural Land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

--

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	X		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

--

Ni all y safle gynnwys 5 neu fwy o anheddau. Byddai datblygiad yn arwain at batrwm ddatblygu hirgul anaddas yn y rhan yma o'r anheddiad. Mae gan y safle llwyni sefydliedig ar hyd blaen y safle fe ddylai ei gadw.

The site cannot accommodate 5 or more dwellings. Development would lead to an inappropriate ribbon development of this part of the settlement. The site has an established hedgerow frontage which should be retained.

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0308 / SR/077/002	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Land rear of Gosen, Llanboidy	Ardal Safle / Site Area:	0.1756
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural Land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	X		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Ni all y safle gynnwys 5 neu fwy o anheddau. Caiff y terfynau datblygu eu diwygio i ganiatáu'r posibilrwydd o ddatblygu ar raddfa fach.

The site cannot accommodate 5 or more dwellings. The development limits will be amended to allow the potential for small scale development.

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0312 / SR/077/003	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Land adjacent to The Bush, Llanboidy	Ardal Safle / Site Area:	0.146
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural Land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment
--

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	✓	ACI4 ACI5 ISA4 ISA5	-
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Ni all y safle gynnwys 5 neu fwy o anheddau. Mae rhan deheuol y safle wedi ei leoli yn y parth perygl llifogydd C2. Byddai ddatblygu'r safle'n gofyn am drawsleoli sylweddol o'r llwyni presennol i gyflawni'r llain gwelededd gan niweidio cymeriad yr ardal.

The site cannot accommodate 5 or more dwellings. The southern part of the site is within C2 flood risk zone. The development of this site would require significant translocation of the current hedgerows to achieve the visibility splays, to the detriment of the character of the area.

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0353 / SR/077/004	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Land at Llanboidy	Ardal Safle / Site Area:	4.036
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural Land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b			
Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	✓	ACI8 ACI9 ISA8 ISA9	-
9. A fydd y cynnig yn cynnwys aildddefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-
Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments			
Hygyrchedd / Accessibility			
10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(b) Darpariaeth fanwerthu / Retail provision	✓		+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+

16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13	ISA13	+
Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments				
Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued				
Ystyriaethau Amgylcheddol / Environmental Considerations				
17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6		+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6		-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3		+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7		+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	✓	ACI7 ISA7		-
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	✓	ACI9 ISA9		-
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5		+
Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments				
Seilwaith a Chyfleustodau / Infrastructure and Utilities				
24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓			
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7		+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓			
Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments				

Y Gymraeg / Welsh Language			
27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments			
Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		
Sylwadau Ychwanegol / Additional Comments			
Mae'r safle yn ei gyfanrwydd yn rhy fawr i ddyraniad arfaethedig o fewn y cynllun gan y byddai'n cael effaith andwyol ar gymeriad y pentref. Caiff y terfynau datblygu eu diwygio i ganiatáu'r posibilrwydd o ddatblygu ar raddfa fach. The site in its entirety is too large for a proposed allocation within the plan as it would adversely impact the character of the village. The development limits will be amended to allow the potential for small scale development.			

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0503 / SR/077/005	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Land adjacent Talardeg, Llanboidy	Ardal Safle / Site Area:	0.2293
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural Land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

--

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	AC12 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	AC18 ISA8	+
Sylwadau Ychwanegol / Additional Comments			
Mae'r safle eisoes tu fewn y terfynau datblygu ac mae'n canitáu'r potensial am ddatblygiad ar raddfa fach. The site is already in development limits, and it allows the potential for small scale development.			

SuV55 Glandy Cross

SR/065/001	Land opposite Lwynon, Glandy Cross	Linc/Link
SR/065/003	Land adjacent Llwynglas, Glandy Cross	Linc/Link

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0236 / SR/065/001	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Land opposite Lwynon, Glandy Cross	Ardal Safle / Site Area:	0.5062
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural Land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	✓	ACI8 ISA8	-

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b			
Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	✓		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	✓	ACI8 ACI9 ISA8 ISA9	-
9. A fydd y cynnig yn cynnwys aildddefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-
Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments			
Hygyrchedd / Accessibility			
10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	X	ACI12 ACI15 ISA12 ISA15	-
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(b) Darpariaeth fanwerthu / Retail provision	✓		+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+

16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13	ISA13	+
Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments				
Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued				
Ystyriaethau Amgylcheddol / Environmental Considerations				
17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6		+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6		-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3		+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7		+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7		+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9		+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5		+
Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments				
Seilwaith a Chyfleustodau / Infrastructure and Utilities				
24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓			
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	✓	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7		-
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓			
Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments				

Y Gymraeg / Welsh Language			
27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments			
Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		
Sylwadau Ychwanegol / Additional Comments			
Er fod peth ddatblygiad unionlin yn rhan o Glandy Cross, dylai ddatblygiad cronni o gwmpas y prif glwstwr o dai yn yr anheddiad.			
Whilst there is some linear development within this part of Glandy Cross, development should be centred around the main cluster of dwellings within the settlement.			

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0705 / SR/065/003	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Land adjacent Llwynglas, Glandy Cross	Ardal Safle / Site Area:	0.2775
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural Land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

--

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	X		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Ni all y safle gynnwys 5 neu fwy o anheddau. Ni fydd y terfynau datblygu yn cael eu diwygio gan fydd cynnwys y safle'n arwain at ddatblygiad hirgul ac yn cael effaith niweidiol ar y tirwedd.

The site cannot accommodate 5 or more dwellings. The development limits are not amended to include this site as it would consist of ribbon development to the detriment of the landscape

SuV56 Efailwen

SR/053/001	Plots adjacent Dolau Beca	Linc/Link
SR/053/002	Land Rear of Crud yr Awel	Linc/Link
SR/053/004	Land adjacent and to the rear of Penllain-Wen	Linc/Link

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0171 / SR/053/001	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Plots adjacent Dolau Beca	Ardal Safle / Site Area:	0.2916
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural Land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnewys â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffêfir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	X		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffêfir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+

6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
--	---	--------------	---

Sylwadau Ychwanegol / Additional Comments

Ni all y safle gynnwys 5 neu fwy o anheddau. Ni fydd y terfynau datblygu yn cael eu diwygio gan fydd cynnwys y safle'n arwain at ddatblygiad hirgul ac yn cael effaith niweidiol ar y tirwedd.

The site cannot accommodate 5 or more dwellings. The development limits are not amended to include this site as it would consist of ribbon development to the detriment of the landscape

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0254 / SR/053/002	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Land Rear of Crud yr Awel	Ardal Safle / Site Area:	3.523
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural Land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

--

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+

6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
Sylwadau Ychwanegol / Additional Comments			
Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b			
Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildddefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-
Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments			
Hygyrchedd / Accessibility			
10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	X	ACI12 ACI15 ISA12 ISA15	-
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+

(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

--

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	✓	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	-
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Bydd y terfynau datblygu'n cael eu diwygio ar ran o'r safle i ganiatáu'r potensial am ddatblygiad ar raddfa fechan.

The development limits will be amended on part of the site to allow the potential for small scale development.

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0457 / SR/053/004	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Land adjacent and to the rear of Penllain-Wen	Ardal Safle / Site Area:	2.432
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural Land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b			
Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	✓		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	✓	ACI8 ACI9 ISA8 ISA9	-
9. A fydd y cynnig yn cynnwys aildddefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-
Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments			
Hygyrchedd / Accessibility			
10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	X	ACI12 ACI15 ISA12 ISA15	-
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments			
Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued			
Ystyriaethau Amgylcheddol / Environmental Considerations			
17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+
Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments			
Seilwaith a Chyfleustodau / Infrastructure and Utilities			
24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosfad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	✓	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	-
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		
Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments			
Y Gymraeg / Welsh Language			

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments			
Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		
Sylwadau Ychwanegol / Additional Comments			
Bydd y safle'n arwain at ddatblygiad hirgul ar ochr deheuol y pentref. Mae tir fwy addas ar gael i'w ddatblygu. The site would lead to further ribbon development on the southern side of the village. There are also more suitable and more appropriate land available for development.			

SuV57 Llangynin

SR/096/001	Land adjacent Brynhafyd	Linc/Link
SR/096/002	Land adjacent Margetta, Llangynin	Linc/Link

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0203 / SR/096/001	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Land adjacent Brynhyfryd	Ardal Safle / Site Area:	0.1253
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural Land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	X		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Ni all y safle gynnwys 5 neu fwy o anheddau. Caiff y terfynau datblygu eu diwygio i ganiatáu'r posibilrwydd o ddatblygu ar raddfa fach.

The site cannot accommodate 5 or more dwellings. The development limits will be amended to allow the potential for small scale development.

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0215 / SR/096/002	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Land adjacent Margetta, Llangynin	Ardal Safle / Site Area:	0.114
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural Land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

--

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	X		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Ni all y safle gynnwys 5 neu fwy o anheddau. Caiff y terfynau datblygu eu diwygio i ganiatáu'r posibilrwydd o ddatblygu ar raddfa fach.

The site cannot accommodate 5 or more dwellings. The development limits will be amended to allow the potential for small scale development.

SuV58 Meidrim

SR/112/001	Tir tu cefn i Rhos y Deri / Land rear of Rhos y Deri	Linc/Link
SR/112/003	Tir ger Penybont, Meidrim / Land adj Penybont, Meidrim	Linc/Link

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0272 / SR/112/001	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Tir tu cefn i Rhos y Deri / Land rear of Rhos y Deri	Ardal Safle / Site Area:	6.423
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural Land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment
--

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments			
Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b			
Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	✓		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	✓	ACI8 ACI9 ISA8 ISA9	-
9. A fydd y cynnig yn cynnwys aildddefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-
Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments			
Hygyrchedd / Accessibility			
10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+

16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13	ISA13	+
Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments				
Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued				
Ystyriaethau Amgylcheddol / Environmental Considerations				
17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6		+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6		-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3		+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7		+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7		+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9		+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5		+
Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments				
Seilwaith a Chyfleustodau / Infrastructure and Utilities				
24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓			
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7		+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓			
Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments				

Y Gymraeg / Welsh Language			
27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments			
Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		
Sylwadau Ychwanegol / Additional Comments			
Development of the site as a whole would not be in keeping with the character of the area, and lead to an illogical extension of the settlement. There is sufficient and more appropriate land available for development within the settlement.			
Ni fyddai datblygu'r safle cyfan yn cydweddu â chymeriad yr ardal ac fyddai'n arwain at ymestyniad afresymegol i'r anheddiad. Mae digon o dir mwy addas ar gael ar gyfer datblygiadau preswyl yn y pentref i ddarparu ar gyfer ei hangen am dai.			

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0510 / SR/112/003	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Tir ger Penybont, Meidrim / Land adj Penybont, Meidrim	Ardal Safle / Site Area:	2.672
Defnydd Presennol / Existing Use:	Tir Pori / Pasture Land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment
--

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b			
Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	✓		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	✓	ACI8 ACI9 ISA8 ISA9	-
9. A fydd y cynnig yn cynnwys aildddefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-
Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments			
Hygyrchedd / Accessibility			
10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+

16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13	ISA13	+
Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments				
Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued				
Ystyriaethau Amgylcheddol / Environmental Considerations				
17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6		+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6		-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3		+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7		+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7		+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9		+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5		+
Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments				
Seilwaith a Chyfleustodau / Infrastructure and Utilities				
24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓			
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7		+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓			
Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments				

Y Gymraeg / Welsh Language			
27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments			
Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		
Sylwadau Ychwanegol / Additional Comments			
Mae rhan o'r safle'n ffurfio dyraniad preswyl presennol SuV58/h1. Byddai graddfa gweddill y tir yn arwain at ddatblygiad anaddas ac fyddai'n arwain at effaith niweidiol ar gymeriad yr anheddiad. A portion of the candidate site forms part of the existing housing allocation SuV58/h1. The scale of the remainder of the land would lead to an inappropriate development, and be detrimental to the character of the settlement.			

SuV59 Bancyfelin

SR/007/001	Land at Wern Farm, North of BMI Werndale	Linc/Link
SR/007/002	Land at Wern Farm, West of BMI Werndale	Linc/Link

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0373 / SR/007/001	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Land at Wern Farm, North of BMI Werrndale	Ardal Safle / Site Area:	1.436
Defnydd Presennol / Existing Use:	Safle Glas / Greenfield	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffêfir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffêfir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments			
Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b			
Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildddefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-
Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments			
Hygyrchedd / Accessibility			
10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+

16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13	ISA13	+
Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments				
Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued				
Ystyriaethau Amgylcheddol / Environmental Considerations				
17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6		+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6		-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3		+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7		+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7		+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9		+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5		+
Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments				
Seilwaith a Chyfleustodau / Infrastructure and Utilities				
24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓			
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7		+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓			
Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments				

Y Gymraeg / Welsh Language			
27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments			
Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		
Sylwadau Ychwanegol / Additional Comments			
Mae tir mwy addas ar gael yn y pentref ar gyfer datblygiadau newydd. Ymestynnir y terfynau datblygu ar ran orllewinol y safle i gynnwys y potensial am ddatblygiadau ar raddfa fach. There is more suitable land available within the village to accommodate new development. Development limits are extended on the western part of the site to accommodate the potential for small scale development.			

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0375 / SR/007/002	Cyfeirnod y Safle / Site Reference:	SR/007/002
Cyfeiriad y Safle / Site Address:	Land at Wern Farm, West of BMI Werrndale	Ardal Safle / Site Area:	1.165
Defnydd Presennol / Existing Use:	Safle Glas / Greenfield	Defnydd Arfaethedig / Proposed Use:	Cyfleusterau Cymunedol / Community Facilities
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	✓	ACI4 ACI5 ISA4 ISA5	-
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae'r safle wedi ei leoli'n agos at y terfynau datblygu, modd bynnag, fe ystyrir y defnydd arfaethedig yn ôl polisiau'r CDLI diwygiedig.

The site is located adjacent to the development limits of the settlement, however the use proposed will be considered against policies set out within the revised LDP

SuV60 Llangynog

SR/097/001	Land North West of Landwr	Linc/Link
SR/097/002	Land rear of Llandre	Linc/Link
SR/097/003	Land opposite Bronhyfryd	Linc/Link
SR/097/004	Land adjacent to Banc y Ffynnon	Linc/Link
SR/097/005	Land adjacent The Ferns, Llangynog	Linc/Link
SR/097/006	Land south of Euthunduon, Llangynog	Linc/Link
SR/097/008	Land opposite Y Gorlan, Llangynog	Linc/Link

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0047 / SR/097/001	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Land North West of Landwr	Ardal Safle / Site Area:	0.0963
Defnydd Presennol / Existing Use:	Tir Prysg / Scrub Land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	X		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Ni all y safle gynnwys 5 neu fwy o anheddau. Caiff y terfynau datblygu eu diwygio i ganiatáu'r posibilrwydd o ddatblygu ar raddfa fach.

The site cannot accommodate 5 or more dwellings. The development limits will be amended to allow the potential for small scale development.

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0328 / SR/097/002	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Land rear of Llandre	Ardal Safle / Site Area:	2.904
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural Land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

--

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b			
Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildddefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-
Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments			
Hygyrchedd / Accessibility			
10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	X	ACI12 ACI15 ISA12 ISA15	-
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+

16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13	ISA13	+
Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments				
Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued				
Ystyriaethau Amgylcheddol / Environmental Considerations				
17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	✓	ACI6 ISA6		-
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6		-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3		+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7		+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	✓	ACI7 ISA7		-
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9		+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5		+
Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments				
Seilwaith a Chyfleustodau / Infrastructure and Utilities				
24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓			
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosfad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7		+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓			
Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments				

Y Gymraeg / Welsh Language			
27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments			
Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		
Sylwadau Ychwanegol / Additional Comments			
Ni chaiff y safle gyfan ei ddyrannu. Caiff y terfynau datblygu eu diwygio i ganiatáu'r posibilrwydd o ddatblygu ar raddfa fach. The whole site is not allocated. The development limits will be amended to allow the potential for small scale development.			

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0415 / SR/097/003	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Land opposite Bronhyfryd	Ardal Safle / Site Area:	0.1776
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural Land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	X		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Ni all y safle gynnwys 5 neu fwy o anheddau. Mae'r safle ar ymylon yr anheddiad ac byddai ei ddatblygu'n arwain at estyniad afresymegol i derfynau'r anheddiad ar draul cymeriad yr ardal

The site cannot accommodate 5 or more dwellings. The site is on the periphery of the settlement, and its development would result in an illogical extension of the settlement limits to the detriment of the character of the area.

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0684 / SR/097/004	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Land adjacent to Banc y Ffynnon	Ardal Safle / Site Area:	0.5893
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural Land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b			
Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	✓	ACI8 ACI9 ISA8 ISA9	-
9. A fydd y cynnig yn cynnwys aildddefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-
Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments			
Hygyrchedd / Accessibility			
10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	X	ACI12 ACI15 ISA12 ISA15	-
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+

16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+
Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments			
Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued			
Ystyriaethau Amgylcheddol / Environmental Considerations			
17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	✓	ACI6 ISA6	-
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	✓	ACI7 ISA7	-
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+
Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments			
Seilwaith a Chyfleustodau / Infrastructure and Utilities			
24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		
Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments			

Y Gymraeg / Welsh Language			
27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments			
Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		
Sylwadau Ychwanegol / Additional Comments			
Byddai'r datblygiad yn arwain at estyniad afresymegol i derfynau'r anheddiad ar draul cymeriad yr ardal ac amwynder eiddo cyfagos. The development would result in an inappropriate extension of the settlement limits to the detriment of the character of the area, and the amenity of neighbouring properties.			

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0782 / SR/097/005	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Land adjacent The Ferns, Llangynog	Ardal Safle / Site Area:	0.1767
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural Land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	X		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	X		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b			
Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	✓		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	✓	ACI8 ACI9 ISA8 ISA9	-
9. A fydd y cynnig yn cynnwys aildddefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-
Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments			
Hygyrchedd / Accessibility			
10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	X	ACI12 ACI15 ISA12 ISA15	-
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+

16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13	ISA13	+
Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments				
Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued				
Ystyriaethau Amgylcheddol / Environmental Considerations				
17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	✓	ACI6 ISA6		-
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6		-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3		+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7		+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	✓	ACI7 ISA7		-
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9		+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5		+
Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments				
Seilwaith a Chyfleustodau / Infrastructure and Utilities				
24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓			
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7		+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓			
Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments				

Y Gymraeg / Welsh Language			
27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments			
Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		
Sylwadau Ychwanegol / Additional Comments			
Mae'r safle wedi'i wahanu oddi wrth brif ardal dwf yr anheddiad, a byddai ei ddatblygu yn arwain at estyniad afresymegol i derfynau'r anheddiad ar draul cymeriad yr ardal.			
The site is separated from the main growth area of the settlement, and its development would result in an illogical extension of the settlement limits to the detriment of the character of the area.			

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0783 / SR/097/006	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Land south of Euthunduon, Llangynog	Ardal Safle / Site Area:	0.4054
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural Land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	X		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae'r safle wedi ei wahanu wrth yr anheddiad ac felly byddai'n arwain at ddatblygu gwasgaredig mewn cefn gwlad agored.

The site is divorced from the settlement, and therefore it would lead to sporadic development in the open countryside

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0882 / SR/097/008	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Land opposite Y Gorlan, Llangynog	Ardal Safle / Site Area:	0.9266
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural Land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment
--

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments			
Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b			
Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildddefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-
Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments			
Hygyrchedd / Accessibility			
10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	X	ACI12 ACI15 ISA12 ISA15	-
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(b) Darpariaeth fanwerthu / Retail provision	✓		+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+

16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+
Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments			
Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued			
Ystyriaethau Amgylcheddol / Environmental Considerations			
17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	✓	ACI6 ISA6	-
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+
Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments			
Seilwaith a Chyfleustodau / Infrastructure and Utilities			
24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		
Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments			

Y Gymraeg / Welsh Language			
27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments			
Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		
Sylwadau Ychwanegol / Additional Comments			
Ni chaiff y safle gyfan ei ddyrannu. Caiff y terfynau datblygu eu diwygio i ganiatáu'r posibilrwydd o ddatblygu ar raddfa fach. The whole site is not allocated. The development limits will be amended to allow the potential for small scale development.			

SuV61 Pendine - Llanmiloe

SR/126/003	Tir ger Knapps, Pendine / Land adjacent to Knapps, Pendine	Linc/Link
SR/126/004	Cwrtil ffermdy Nieuport / Curtilage of Nieuport Farmhouse	Linc/Link
SR/126/005	Ty Llanmiloe / Llanmiloe House	Linc/Link
SR/126/006	Ty Llanmiloe / Llanmiloe House	Linc/Link
SR/126/007	Tir ger Llanmiloe Lodge / Land Adjacent Llanmiloe Lodge	Linc/Link
SR/126/008	Tir i'r Gorllewin o Llanmiloe Lodge / Land West of Llanmiloe Lodge	Linc/Link
SR/126/009	Tir ger Wood End / Land adjacent to Wood End	Linc/Link
SR/126/010	Tir ger i 19, Dukes Meadow / Land adjacent 19, Dukes Meadow	Linc/Link

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0045 / SR/126/003	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Tir ger Knapps, Pendine / Land adjacent to Knapps, Pendine	Ardal Safle / Site Area:	0.514
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural Land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b			
Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildddefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-
Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments			
Hygyrchedd / Accessibility			
10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+

16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13	ISA13	+
Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments				
Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued				
Ystyriaethau Amgylcheddol / Environmental Considerations				
17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6		+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6		-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3		+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7		+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	✓	ACI7 ISA7		-
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9		+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5		+
Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments				
Seilwaith a Chyfleustodau / Infrastructure and Utilities				
24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓			
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7		+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓			
Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments				

Y Gymraeg / Welsh Language			
27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments			
Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		
Sylwadau Ychwanegol / Additional Comments			
Mae yna digon o dir mwy addas ar gael yn yr anheddiad i ddarparu ar gyfer twf newydd. Mae gan y safle perth sefydledig ar hyd blaen safle y dylid ei gadw.			
There is sufficient and more suitable land available within the settlement to accommodate new growth. Site has an established hedgerow frontage which should be retained.			

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0046 / SR/126/004	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Cwrtil ffermdy Nieuport / Curtilage of Nieuport Farmhouse	Ardal Safle / Site Area:	0.3544
Defnydd Presennol / Existing Use:	Cwrtil Preswyl / Residential Curtilage	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffêfrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment
--

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	X		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffêfrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Ni all y safle gynnwys 5 neu fwy o anheddau. Caiff y terfynau datblygu eu diwygio i ganiatáu'r posibilrwydd o ddatblygu ar raddfa fach.

The site cannot accommodate 5 or more dwellings. The development limits will be amended to allow the potential for small scale development.

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0096 / SR/126/005	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Ty Llanmiloe / Llanmiloe House	Ardal Safle / Site Area:	0.1202
Defnydd Presennol / Existing Use:	Gwag / Vacant	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	X		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	✓	ACI4 ACI5 ISA4 ISA5	-
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Ni all y safle gynnwys 5 neu fwy o anheddau ac mae mwyafrif o fallen y safle tu fewn y parth perygl llifogydd C2.

The site cannot accommodate 5 or more dwellings, and the majority of the site's frontage is within a C2 flood risk zone.

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0097 / SR/126/006	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Ty Llanmiloe / Llanmiloe House	Ardal Safle / Site Area:	0.3333
Defnydd Presennol / Existing Use:	Maes Parcio a Safle Glas / Car Park and Greenfield	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b			
Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildddefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-
Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments			
Hygyrchedd / Accessibility			
10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+

16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13	ISA13	+
Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments				
Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued				
Ystyriaethau Amgylcheddol / Environmental Considerations				
17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6		+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6		+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3		+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7		+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	✓	ACI7 ISA7		-
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9		+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5		+
Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments				
Seilwaith a Chyfleustodau / Infrastructure and Utilities				
24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓			
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7		+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓			
Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments				

Y Gymraeg / Welsh Language			
27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments			
Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		
Sylwadau Ychwanegol / Additional Comments			
Mae yna digon o dir mwy addas ar gael yn yr anheddiad i ddarparu ar gyfer twf newydd. Mae gan y safle perth sefydledig ar hyd blaen safle y dylid ei gadw. There is sufficient and more suitable land available within the settlement to accommodate new growth. Site has an established hedgerow frontage which should be retained.			

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0098 / SR/126/007	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Tir ger Llanmiloe Lodge / Land Adjacent Llanmiloe Lodge	Ardal Safle / Site Area:	0.2062
Defnydd Presennol / Existing Use:	Gwag / Vacant	Defnydd Arfaethedig / Proposed Use:	Arall (Ysgrifennwch isod) / Other (Please write below)
		Os arall, nodwch / If other, specify:	Twristiaeth - Llety / Tourism - Hotel Lodges

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment
--

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	X		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae'r safle wedi ei leoli'n gyfagos i derfynau datblygu'r anheddiad, fodd bynnag, bydd y defnydd a gynigwyd yn cael eu hystyried yn unol â'r polisiau'r CDLI diwygiedig.

The site is located adjacent to the development limits of the settlement, however the use proposed will be considered against policies set out within the revised LDP.

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0099 / SR/126/008	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Tir i'r Gorllewin o Llanmiloe Lodge / Land West of Llanmiloe Lodge	Ardal Safle / Site Area:	0.4415
Defnydd Presennol / Existing Use:	Tir Glas Gwag / Vacant Greenfield	Defnydd Arfaethedig / Proposed Use:	Arall (Ysgrifennwch isod) / Other (Please write below)
		Os arall, nodwch / If other, specify:	Twristiaeth

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffêfrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment
--

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffêfrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae'r safle wedi ei leoli'n gyfagos i derfynau datblygu'r anheddiad, fodd bynnag, bydd y defnydd a gynigwyd yn cael eu hystyried yn unol â'r polisiau'r CDLI diwygiedig.

The site is located adjacent to the development limits of the settlement, however the use proposed will be considered against policies set out within the revised LDP.

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0100 / SR/126/009	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Tir ger Wood End / Land adjacent to Wood End	Ardal Safle / Site Area:	0.6768
Defnydd Presennol / Existing Use:	Tir Gwag / Vacant Land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment
--

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments			
Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b			
Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys ailddefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-
Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments			
Hygyrchedd / Accessibility			
10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+

16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13	ISA13	+
Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments				
Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued				
Ystyriaethau Amgylcheddol / Environmental Considerations				
17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6		+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6		+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3		+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7		+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	✓	ACI7 ISA7		-
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9		+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5		+
Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments				
Seilwaith a Chyfleustodau / Infrastructure and Utilities				
24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓			
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7		+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓			
Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments				

Y Gymraeg / Welsh Language			
27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments			
Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		
Sylwadau Ychwanegol / Additional Comments			
Rhan o'r safle i'w gynnwys tu fewn y terfynau datblygu i ganiatáu'r posibilrwydd o ddatblygu ar raddfa fach. Mae digon o dir mwy addas ar gael ar gyfer datblygiadau yn y dref i ddarparu ar gyfer twf a ddyrannwyd. Part of the site to be included within the development limits to allow the potential for small scale development. There is sufficient and more suitable land available within the settlement to accommodate allocated growth.			

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0721 / SR/126/010	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Tir ger i 19, Dukes Meadow / Land adjacent 19, Dukes Meadow	Ardal Safle / Site Area:	0.2064
Defnydd Presennol / Existing Use:	Mynedfa lawnt / Lawned Entrance	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment
--

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments			
Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b			
Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildddefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-
Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments			
Hygyrchedd / Accessibility			
10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+

16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13	ISA13	+
Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments				
Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued				
Ystyriaethau Amgylcheddol / Environmental Considerations				
17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6		+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6		-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3		+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7		+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	✓	ACI7 ISA7		-
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9		+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5		+
Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments				
Seilwaith a Chyfleustodau / Infrastructure and Utilities				
24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓			
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7		+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓			
Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments				

Y Gymraeg / Welsh Language			
27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments			
Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		
Sylwadau Ychwanegol / Additional Comments			
Rhan o'r safle i'w gynnwys tu fewn y terfynau datblygu i ganiatáu'r posibilrwydd o ddatblygu ar raddfa fach. Mae digon o dir mwy addas ar gael ar gyfer datblygiadau yn y dref i ddarparu ar gyfer twf a ddyrannwyd. Part of the site to be included within the development limits to allow the potential for small scale development. There is sufficient and more suitable land available within the settlement to accommodate allocated growth.			

Cwmfelin Mynach

SR/168/001	Caeglas, Cwmfelin Mynach	Linc/Link
------------	--------------------------	-----------

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0814 / SR/168/001	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Caeglas, Cwmfelin Mynach	Ardal Safle / Site Area:	0.1274
Defnydd Presennol / Existing Use:	Gardd / Garden	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	X		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	X		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae'r safle o fewn anheddiad Haen 4 ac felly bydd unrhyw gynnig ar y safle yn cael ei ystyried o dan bolisiâu a nodir yn y CDLI diwygiedig.

The site is within a Tier 4 settlement and therefore any site proposal will be considered under policies set out within the revised LDP.

Cwmfelin Boeth

SR/038/001	Land opposite Darlunfa, Cwmfelin Boeth	Linc/Link
------------	--	-----------

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0001 / SR/038/001	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Land opposite Darlunfa, Cwmfelin Boeth	Ardal Safle / Site Area:	0.16
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural Land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment
--

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	X		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	X		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae'r safle o fewn anheddiad Haen 4 ac felly bydd unrhyw gynnig ar y safle yn cael ei ystyried o dan bolisïau a

nodir yn y CDLI diwygiedig.

The site is within a Tier 4 settlement and therefore any site proposal will be considered under policies set out within the revised LDP.

Cross Inn

SR/166/001	Fields in Cross Inn	Linc/Link
SR/166/002	Cross Inn Farm	Linc/Link
SR/166/003	Land at Oak Trees, Cross Inn	Linc/Link
SR/166/004	Land part of Maesyderi, Cross Inn	Linc/Link
SR/166/005	Land part of Parsons Leys, Cross Inn, Laugharne	Linc/Link

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0286 / SR/166/001	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Fields in Cross Inn	Ardal Safle / Site Area:	3.895
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural Land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	None

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

--

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	X		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae'r safle o fewn anheddiad Haen 4 ac felly bydd unrhyw gynnig ar y safle yn cael ei ystyried o dan bolisiâu a

nodir yn y CDLI diwygiedig

The site is within a Tier 4 settlement and therefore any site proposal will be considered under policies set out within the revised LDP.

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0367 / SR/166/002	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Cross Inn Farm	Ardal Safle / Site Area:	0.1917
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural Land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	None

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

--

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	X		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	X		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae'r safle o fewn anheddiad Haen 4 ac felly bydd unrhyw gynnig ar y safle yn cael ei ystyried o dan bolisiâu a

nodir yn y CDLI diwygiedig

The site is within a Tier 4 settlement and therefore any site proposal will be considered under policies set out within the revised LDP.

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0728 / SR/166/003	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Land at Oak Trees, Cross Inn	Ardal Safle / Site Area:	3.72
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural Land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	Na / No

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

--

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	X		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae'r safle o fewn anheddiad Haen 4 ac felly bydd unrhyw gynnig ar y safle yn cael ei ystyried o dan bolisiâu a nodir yn y CDLI diwygiedig

The site is within a Tier 4 settlement and therefore any site proposal will be considered under policies set out within the revised LDP.

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0848 / SR/166/004	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Land part of Maesyderi, Cross Inn	Ardal Safle / Site Area:	1.475
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural Land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	Na / No

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	X		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae'r safle o fewn anheddiad Haen 4 ac felly bydd unrhyw gynnig ar y safle yn cael ei ystyried o dan bolisiâu a nodir yn y CDLI diwygiedig

The site is within a Tier 4 settlement and therefore any site proposal will be considered under policies set out within the revised LDP.

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0854 / SR/166/005	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Land part of Parsons Leys, Cross Inn, Laugharne	Ardal Safle / Site Area:	1.051
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural Land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	Na / No

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnavs â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment
--

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	X		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae'r safle o fewn anheddiad Haen 4 ac felly bydd unrhyw gynnig ar y safle yn cael ei ystyried o dan bolisiâu a nodir yn y CDLI diwygiedig

The site is within a Tier 4 settlement and therefore any site proposal will be considered under policies set out within the revised LDP

Broadway (Laugarne)

SR/167/001	Land off Lon Cywyn	Linc/Link
SR/167/002	Land to the rear of Samray Dean, Portland Lodge and Pennant Glas	Linc/Link
SR/167/003	Plot adjacent to Brynbiallu, Broadway, Laugharne	Linc/Link
SR/167/004	Land at Broadway Lodge, Broadway	Linc/Link
SR/167/005	Land at Gilfach Stables, Broadway, Laugharne	Linc/Link
SR/167/006	Option 1 - Site A, Land off the A4066, Broadway	Linc/Link
SR/167/007	Option 2 - Site A, Land off the A4066, Broadway	Linc/Link
SR/167/008	Option 2 - Site B, Land off the A4066, Broadway	Linc/Link
SR/167/009	Land adjacent to Broadway Farm Caravan Park, Broadway	Linc/Link

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0334 / SR/167/001	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Land off Lon Cywyn	Ardal Safle / Site Area:	0.8159
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural Land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	X		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae'r safle o fewn anheddiad Haen 4 ac felly bydd unrhyw gynnig ar y safle yn cael ei ystyried o dan bolisiâu a nodir yn y CDLI diwygiedig

The site is within a Tier 4 settlement and therefore any site proposal will be considered under policies set out within the revised LDP.

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0700 / SR/167/002	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Land to the rear of Samray Dean, Portland Lodge and Pennant Glas	Ardal Safle / Site Area:	0.4438
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural Land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	X		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

--

Mae'r safle o fewn anheddiad Haen 4 ac felly bydd unrhyw gynnig ar y safle yn cael ei ystyried o dan bolisiâu a nodir yn y CDLI diwygiedig

The site is within a Tier 4 settlement and therefore any site proposal will be considered under policies set out within the revised LDP.

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0722 / SR/167/003	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Plot adjacent to Brynbiallu, Broadway, Laugharne	Ardal Safle / Site Area:	0.3642
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural Land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

--

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	X		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	X		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

--

Sylwadau Ychwanegol / Additional Comments

Mae'r safle o fewn anheddiad Haen 4 ac felly bydd unrhyw gynnig ar y safle yn cael ei ystyried o dan bolisiâu a nodir yn y CDLI diwygiedig

The site is within a Tier 4 settlement and therefore any site proposal will be considered under policies set out within the revised LDP.

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0740 / SR/167/004	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Land at Broadway Lodge, Broadway	Ardal Safle / Site Area:	0.3374
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural Land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment
--

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	X		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae'r safle o fewn anheddiad Haen 4 ac felly bydd unrhyw gynnig ar y safle yn cael ei ystyried o dan bolisiâu a nodir yn y CDLI diwygiedig

The site is within a Tier 4 settlement and therefore any site proposal will be considered under policies set out within the revised LDP.

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0741 / SR/167/005	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Land at Gilfach Stables, Broadway, Laugharne	Ardal Safle / Site Area:	0.9537
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural Land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	X		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae'r safle o fewn anheddiad Haen 4 ac felly bydd unrhyw gynnig ar y safle yn cael ei ystyried o dan bolisiâu a nodir yn y CDLI diwygiedig

The site is within a Tier 4 settlement and therefore any site proposal will be considered under policies set out within the revised LDP.

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0788 / SR/167/006	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Option 1 - Site A, Land off the A4066, Broadway	Ardal Safle / Site Area:	1.035
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural Land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

--

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	X		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

--

Mae'r safle o fewn anheddiad Haen 4 ac felly bydd unrhyw gynnig ar y safle yn cael ei ystyried o dan bolisiâu a nodir yn y CDLI diwygiedig

The site is within a Tier 4 settlement and therefore any site proposal will be considered under policies set out within the revised LDP.

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0914 / SR/167/007	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Option 2 - Site A, Land off the A4066, Broadway	Ardal Safle / Site Area:	0.3414
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural Land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	X		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae'r safle o fewn anheddiad Haen 4 ac felly bydd unrhyw gynnig ar y safle yn cael ei ystyried o dan bolisiâu a nodir yn y CDLI diwygiedig

The site is within a Tier 4 settlement and therefore any site proposal will be considered under policies set out within the revised LDP.

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0915 / SR/167/008	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Option 2 - Site B, Land off the A4066, Broadway	Ardal Safle / Site Area:	0.7383
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural Land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	X		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae'r safle o fewn anheddiad Haen 4 ac felly bydd unrhyw gynnig ar y safle yn cael ei ystyried o dan bolisiâu a nodir yn y CDLI diwygiedig

The site is within a Tier 4 settlement and therefore any site proposal will be considered under policies set out within the revised LDP.

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	CA0506 / SR/167/009	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Land adjacent to Broadway Farm Caravan Park, Broadway	Ardal Safle / Site Area:	11.49
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural Land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments
Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	X		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae'r safle o fewn anheddiad Haen 4 ac felly bydd unrhyw gynnig ar y safle yn cael ei ystyried o dan bolisiâu a nodir yn y CDLI diwygiedig

The site is within a Tier 4 settlement and therefore any site proposal will be considered under policies set out within the revised LDP.

Llanfallteg

SR/087/001	Derwen Las, East of Llanfallteg	Linc/Link
------------	---------------------------------	-----------

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0246 / SR/087/001	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Derwen Las, East of Llanfallteg	Ardal Safle / Site Area:	0.7769
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural Land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	X		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae'r safle o fewn anheddiad Haen 4 ac felly bydd unrhyw gynnig ar y safle yn cael ei ystyried o dan bolisiâu a nodir yn y CDLI diwygiedig.

The site is within a Tier 4 settlement and therefore any site proposal will be considered under policies set out within the revised LDP.

Red Roses

SR/141/001	Tir tu gefn i Hazel Grove, Rhos Goch / Land rear of Hazel Grove, Red Roses	Linc/Link
SR/141/002	Tir ger Fernleigh / Land adjacent Fernleigh	Linc/Link

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0032 / SR/141/001	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Tir tu gefn i Hazel Grove, Rhos Goch / Land rear of Hazel Grove, Red Roses	Ardal Safle / Site Area:	0.6161
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural Land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	X		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+

6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
--	---	--------------	---

Sylwadau Ychwanegol / Additional Comments

Mae'r safle o fewn anheddiad Haen 4 ac felly bydd unrhyw gynnig ar y safle yn cael ei ystyried o dan bolisiâu a nodir yn y CDLI diwygiedig.

The site is within a Tier 4 settlement and therefore any site proposal will be considered under policies set out within the revised LDP

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0221 / SR/141/002	Cyfeirnod y Safle / Site Reference:	
Cyfeiriad y Safle / Site Address:	Tir ger Fernleigh / Land adjacent Fernleigh	Ardal Safle / Site Area:	0.3642
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural Land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment
--

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	X		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae'r safle o fewn anheddiad Haen 4 ac felly bydd unrhyw gynnig ar y safle yn cael ei ystyried o dan bolisiâu a nodir yn y CDLI diwygiedig.

The site is within a Tier 4 settlement and therefore any site proposal will be considered under policies set out within the revised LDP