

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/015/004 CA0430	Cyfeirnod y Safle / Site Reference:	Rhan / Part T3/9/h4
Cyfeiriad y Safle / Site Address:	Tir i'r de o Heol Cwmgarw / Land south of Cwmgarw Road	Ardal Safle / Site Area:	3.914ha
Defnydd Presennol / Existing Use:	Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddu? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn part hle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymwl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+

6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
--	---	--------------	---

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility	✓		
10. A yw'r safle'n hygrych o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gweledded digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			

(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(b) Darpariaeth fanwerthu / Retail provision	✓		+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Mae Tywod a Graen (Categori 2) o dan y safle, ond ystyrir bod yr adnodd yn y lleoliad hwn eisoes wedi'i sterileiddio i raddau helaeth gan ei fod o fewn 200m o ddatblygiad sensitif.

Sand and Gravel (Category 2) underlie the site, however the resource at this location is considered to be already largely sterilised as it is within 200m of sensitive development.

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
--	---	--	--

25. A yw'r safle o fewn neu'n gyfagos i ddalgyllch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	X		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	X		

Sylwadau Ychwanegol / Additional Comments

Ceir pryderon ynghylch y gallu i gyflawni'r safle. Mae'r safle yn ddyraniad preswyl (T3/9/h4) hirsefydlog ac nid oes unrhyw gynnydd pendant wedi'i wneud i'w gyflawni. Mae digon o gyfleoedd ar gyfer datblygiadau preswyl i'w cael mewn mannau eraill o fewn yr anheddiad.

There are concerns at the deliverability of the site. The site represents a longstanding residential allocation (T3/9/h4) and no firm progress has been made on delivery. Sufficient residential opportunities exist within the settlement.